

The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat.

It is measured by mounting a Recaro Reclining seat.

— explanatory note —

Differences may arise due to the position of the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.

Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.

Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

DAIHATSU

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
ATRAI	S220G,S230G	±0mm	B1	DDU1050B01R	DDU1050B01L	-	Common to HIJET VAN(S200G,S210G). AM19 requires a 20mm spacer with or without electric function.
ATRAI 7	S221,S231	±0mm	B1	DDU1060B01R	DDU1060B01L	NPC001	Common to SPARKY(S221E,S231E). Seats with a convex bottom (such as AM19) are not compatible.
BE-GO	J200,J210	-10mm	B6	DDU1240B06R	DDU1240B06L	NPC001	Offset toward door side is 10 mm.
BOON	M300S,M301S M310S,M312S	-20mm	B4	DDU1020B04R	DDU1020B04L	NPC001	Offset toward door side is 12 mm.
BOON X4	M300S,M301S M310S,M312S	-50mm	B1	DDU1010B01R	DDU1010B01L	NPC001	Superlow model. Offset toward door side is 15 mm.
BOON	M600S,M601S	-20mm	B36	DDU1490B36R	DDU1490B36L	NPC001	Offset toward door side is 10 mm. Compatibility with 4WD/M610S vehicles to be confirmed.
BOON	M700S	-30mm	B36	DDU1510B36R	DDU1510B36L	NPC001	Compatibility with 4WD/M710S vehicles to be confirmed.
CAST	LA250S,LA260S	-20mm	B36	DDU1092B36R	DDU1092B36L	NPC001	Common to MIRA e:S(LA300,LA310),MIRA COCOA(L675,L685). Seat drop is from Model MIRA e:S(LA300) specifications.
COO	M401S,M402S	-25mm	B16	DDU1030B16R	DDU1030B16L	NPC001	Compatibility with 4WD/M411S vehicles to be confirmed. Interferes with shoulder width exceeding 600 mm.
COPEN	L880K	+20mm	B1	DDU1110B01R	DDU1110B01L	-	Seat drop is from Model 520mm specifications. When installing the IS24 Recaro seat, the belt stays and bolts and nuts will interfere with the seat. AM19 cannot be installed.
COPEN	LA400K	+5mm	B1	DDU1100B01R	DDU1100B01L	-	Seat drop is from Model 520mm specifications. When installing the IS24 Recaro seat, the belt stays and bolts and nuts will interfere with the seat. AM19 cannot be installed.
DELTA WAGON	SR40N,CR40N	-10mm	B4	DDU1180B01R	DDU1180B01L	-	Common to foot brake,hand brake.
ESSE	L235S,L245S	-25mm	B4	DDU1080B04R	DDU1080B04L	-	Offset toward door side is 10 mm.
HIJET TRUCK	S200P,S210P S201P,S211P	+30mm	B1	DDU1210B01R	DDU1210B01L	-	The passenger seat requires heavy processing. AM19 requires a 20mm spacer with or without electric function.
HIJET TRUCK JUMBO	S200P,S210P	+40mm	B1	DDU1220B01R	DDU1220B01L	-	AM19 requires a 20mm spacer with or without electric function.
HIJET TRUCK JUMBO	S500P,S510P	+45mm	B6	DDU1230B06R	DDU1230B06L	-	The seat belt anchor is fixed to the floor. Interferes with shoulder width exceeding 580 mm. At the low position height adjustment, + 45 mm. Can slide backward from the floor step.

HIJET TRUCK HIJET TRUCK JUMBO	S500P,S510P	±0mm	B1	DDU1440B01R	DDU1440B01L	-	The passenger seat requires heavy processing.*excluding JUMBO The seat belt anchor is fixed to the floor. Interferes with shoulder width exceeding 580 mm. AM19 requires 20mm spacer. requires removal of genuine headrest.*excluding JUMBO JUMBO is Cannot slide backward from the floor step.
HIJET CADDIE	LA700V,LA710V	-35mm	B36	DDU1480B36R	DDU1480B36L		Use genuine base.
HIJET VAN	S200G,S210G	±0mm	B1	DDU1051B01R	DDU1051B01L	-	Common to ATRAI (S220G,S230G) AM19 requires a 20mm spacer with or without electric function.
MIRA	L200,L210	-10mm	B1	DDU1250B01R	DDU1250B01L	-	The seat belt anchor is fixed to the floor.
MIRA	L200,L210	-10mm	B1	DDU1410B01R	DDU1410B01L	-	For original-equipment seats with synchronized seat belts.
MIRA	L700S,L710S	-15mm	B1	DDU1260B01R	DDU1260B01L	-	
MIRA	L275,L285	-20mm	B16	DDU1270B16R	DDU1270B16L	NPC001	Common to SONICA(L405S,L415S)
MIRA COCOA	L675,L685	-20mm	B36	DDU1091B36R	DDU1091B36L	NPC001	Common to CAST(LA250S,LA260S). Seat drop is from Model MIRA e:S(LA300) specifications.
MIRA e:S	LA300S,LA310S	-20mm	B36	DDU1090B36R	DDU1090B36L	NPC001	Common to CAST(LA250S,LA260S).
MIRA e:S	LA350S,LA360S	-20mm	B6	DDU1380B06R	DDU1380B06L	NPC001	Offset toward door side is 5 mm.
MIRA e:S	LA350S,LA360S	-15mm	LB9	DDU1380B09R	DDU1380B09L	NPC001	
MIRA e:S	LA350S,LA360S	-45mm	B1	DDU1530B01R	DDU1530B01L	NPC001	Superlow model. Offset toward door side is 5 mm.
MIRA GINO	L700S,L710S	-15mm	B1	DDU1261B01R	DDU1261B01L	-	
MIRA GINO	L650S,L660S	-20mm	B16	DDU1272B16R	DDU1272B16L	NPC001	Common to SONICA(L405S,L415S)
MIRA TOCOT	LA550S,LA560S	-20mm	B6	DDU1450B06R	DDU1450B06L	NPC001	Offset toward door side is 5 mm. Seat drop is from Model MIRA e:S(LA350) specifications.
MIRA TOCOT	LA550S,LA560S	-45mm	B1	DDU1531B01R	DDU1531B01L	NPC001	Superlow model. Offset toward door side is 5 mm. Seat drop is from Model MIRA e:S(LA350) specifications.
MIRA,MIRA AVY	L250,L260	-20mm	B4	DDU1290B04R	DDU1290B04L	NPC001	
MOVE	L600	-10mm	B4	DDU1320B04R	DDU1320B04L	-	
MOVE	L900S,L902S	-15mm	B4	DDU1330B04R	DDU1330B04L	-	
MOVE	L150S,L160S	-15mm	B4	DDU1370B04R	DDU1370B04L	-	Common to MOVE LATTE(L550S,L560).
MOVE	L175S,L185S	-15mm	B36	DDU1340B36R	DDU1340B36L	NPC001	
MOVE	LA100S,LA110S	-15mm	B36	DDU1341B36R	DDU1341B36L	NPC001	Common to MOVE(LA150S,LA160S,L175S,L185S),STELLA(LA100F,LA110F).
MOVE	LA150S,LA160S	-15mm	B36	DDU1342B36R	DDU1342B36L	NPC001	Common to MOVE(LA150S,LA160S,L175S,L185S),STELLA(LA100F,LA110F).
MOVE CANBUS	LA800S,LA810S	-20mm	B16	DDU1500B16R	DDU1500B16L	NPC001	The amount of down is the data of Tanto (L375S, L385S)
MOVE CANBUS	LA850S	-15mm	B36	DDU1520B36R	DDU1520B36L	NPC001	Compatibility with 4WD/LA860S vehicles to be confirmed.
MOVE CANBUS	LA850S	-5mm	LB25	DDU1520B25R	DDU1520B25L	NPC001	Compatibility with 4WD/LA860S vehicles to be confirmed.
MOVE CONTE	L550S.L560S	-15mm	B4	DDU1371B04R	DDU1371B04L	NPC001	

MOVE CONTE	L575S,L585S	-20mm	B36	DDU1360B36R	DDU1360B36L	NPC001	
NAKED	L750,L760	-15mm	B4	DDU1200B04R	DDU1200B04L	-	
OPTI	L300S,L310S	-10mm	B1	DDU1420B01R	DDU1420B01L	-	The seat belt anchor is fixed to the floor.
OPTI	L800S,L810S	-15mm	B1	DDU1430B01R	DDU1430B01L	-	
ROCKY	A200S,A201S A202S,A210S	-25mm	B36	DDU1400B36R	DDU1400B36L	NPC001	Common to RAIZE(A200A,A201A,A202A,A210A). Relocation of passenger seat pressure sensor is required.
ROCKY	A200S,A201S A202S,A210S	-25mm	LB9	DDU1400B09R	DDU1400B09L	NPC001	Common to RAIZE(A200A,A201A,A202A,A210A). Relocation of passenger seat pressure sensor is required.
SONICA	L405S,L415S	-20mm	B16	DDU1271B16R	DDU1271B16L	NPC001	Common to MIRA(L275,L285),MIRA GINO(L650,L660). Seat drop is from Model MIRA(L275) specifications.
STORIA	M100S,M101S,M110S M111S,M112S	-10mm	B4	DDU1120B04R	DDU1120B04L	NPC001	Common to DUET(M111S,M101S,M110S,M112S).
STORIA	M100S,M101S,M110S M111S,M112S	-30mm	B1	DDU1140B01R	DDU1140B01L	NPC001	Superlow model. Offset toward door side is 30 mm. Common to DUET(M111S,M101S,M110S,M112S).
TAFT	LA900S,LA910S	-20mm	B6	DDU1390B06R	DDU1390B06L	NPC001	
TANTO	L350S,L360S	-20mm	B16	DDU1460B16R	-	NPC001	Not compatible with passenger seats. Seat drop is from Model TANTO(L375) specifications.
TANTO	L375S,L385S	-20mm	B16	DDU1150B16R	-	NPC001	Not compatible with passenger seats.
TANTO	LA600S,LA610S	-20mm	B16	DDU1470B16R	-	NPC001	Not compatible with passenger seats. Seat drop is from Model TANTO(L375) specifications.
TANTO EXE	L455S,L465S	-35mm	B36	DDU1160B36R	DDU1160B36L	-	Offset toward console side is 11 mm.
TERIOS KID TERIOS LUCIA	J111G,J131G	-15mm	B4	DDU1170B04R	DDU1170B04L	NPC001	
THOR	M900S,M910S	-30mm	B36	DDU1190B36R	DDU1190B36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Common to TANK,ROOMY,JUSTY.
WAKE	LA700S,LA710S	-35mm	B36	DDU1070B36R	DDU1070B36L	NPC001	Use genuine base.
YRV	M200G,M201G,M211G	-10mm	B4	DDU1040B04R	DDU1040B04L	-	