The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat. It is measured by mounting a Recaro or Bride full bucket seat at the lowest position possible without the seat bottom interfering with the seat rail or vehicle floor. Differences may arise due to the position of the seat to be mounted (the position of the bolt holes), the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.

- explanatory note - ho

Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.

Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

DAIHATSU

Model Name	Model Code	Seat Drop	Туре	Right Part No.	Left Part No.	Side SRS	Remarks
ATRAI	S220G,S230G	±Omm	S1	DDU1050S01R	DDU1050S01L	-	Common to HIJET VAN (S200G,S210G) .
ATRAI 7	S221,S231	±Omm	S1	DDU1060S01R	DDU1060S01L	NPC001	Common to SPARKY(S221E,S231E).
BE-GO	J200,J210	-10mm	S6	DDU1240S06R	DDU1240S06L	NPC001	Offset toward door side is 10 mm.
BOON	M300S,M301S M310S,M312S	-20mm	S4	DDU1020S04R	DDU1020S04L	NPC001	Offset toward door side is 12 mm.
BOON X4	M300S,M301S M310S,M312S	-50mm	S1	DDU1010S01R	DDU1010S01L	NPC001	Superlow model. Offset toward door side is 15 mm.
BOON	M600S,M601S	-20mm	S36	DDU1490S36R	DDU1490S36L	NPC001	Offset toward door side is 10 mm. Compatibility with 4WD/M610S vehicles to be confirmed.
BOON	M700S	-30mm	S36	DDU1510S36R	DDU1510S36L	NPC001	Compatibility with 4WD/M710S vehicles to be confirmed.
CAST	LA250S,LA260S	-20mm	S36	DDU1092S36R	DDU1092S36L	NPC001	Seat drop is from Model MIRA e:S(LA300) specifications.
соо	M401S,M402S	-25mm	S16	DDU1030S16R	DDU1030S16L	NPC001	Compatibility with 4WD/M411S vehicles to be confirmed. Interferes with shoulder width exceeding 600 mm.
COPEN	L880K	+20mm	S1	DDU1110S01R	DDU1110S01L	-	Seats with a high backrest (RS-G, etc.) interfere with the headrest and cannot be installed.
COPEN	LA400K	+5mm	S1	DDU1100S01R	DDU1100S01L	-	Seats with a high backrest (RS-G, etc.) interfere with the headrest and cannot be installed.
DELTA WAGON	SR40N,CR40N SR50N,CR50N	-10mm	S4	DDU1180S01R	DDU1180S01L	-	Common to foot brake,hand brake.
ESSE	L235S,L245S	-25mm	S4	DDU1080S04R	DDU1080S04L	-	Offset toward door side is 10 mm.
HIJET CADDIE	LA700V,LA710V	-35mm	S36	DDU1480S36R	DDU1480S36L		Use genuine base.
HIJET TRUCK	S200P,S210P S201P,S211P	+30mm	S1	DDU1210S01R	DDU1210S01L	-	The passenger seat requires heavy processing.
HIJET TRUCK JUMBO	S200P,S210P S201P,S211P	+40mm	S1	DDU1220S01R	DDU1220S01L	-	
HIJET TRUCK JUMBO	S500P,S510P	+45mm	S6	DDU1230S06R	DDU1230S06L	-	The seat belt anchor is fixed to the floor. Interferes with shoulder width exceeding 580 mm. At the low position height adjustment, + 10 mm. Can slide backward from the floor step. Seat drop is from RS-G specifications.

							The passenger seat requires heavy processing.*excluding JUMBO The seat belt anchor is fixed to the floor.
HIJET TRUCK HIJET TRUCK JUMBO	S500P,S510P		S1	DDU1440S01R	DDU1440S01L		Interferes with shoulder width exceeding 580 mm.
		±Omm				-	requires removal of genuine headrest.*excluding JUMBO
							JUMBO is Cannot slide backward from the floor step.
							Seat drop is from RS-G specifications.
HIJET VAN	S200G,S210G	±Omm	S1		DDU1051S01L	_	Common to ATRAI (S220G,S230G) .
	5200G,5210G	±0mm	51	DD01051501K	DD01051501L	-	CONTINUE (SZZOG, SZSOG) :
MIRA	L200,L210 L500,L502,L510	-10mm	S1	DDU1250S01R	DDU1250S01L	-	The seat belt anchor is fixed to the floor.
MIRA	L200,L210	-10mm	S1	DDU1410S01R	DDU1410S01L	-	For original-equipment seats with synchronized seat belts.
MIRA	L700S,L710S	-15mm	S1	DDU1260S01R		-	
MIRA	L275,L285	-20mm	S16				Common to SONICA(L405S,L415S)
MIRA COCOA	L675,L685	-20mm	S36		DDU1091S36L		Common to CAST(LA250S,LA260S).
MIRA e:S	LA300S,LA310S	-20mm	S36		DDU1090S36L		Common to CAST(LA250S,LA260S).
MIRA e:S	LA350S,LA360S	-20mm	S6		DDU1380S06L		Offset toward door side is 5 mm.
MIRA e:S	LA350S,LA360S	-15mm	LS9	DDU1380S09R	DDU1380S09L	NPC001	
MIRA e:S	LA350S,LA360S	-45mm	S1	DDU1530S01R	DDU1530S01L	NPC001	Superlow model. Offset toward door side is 5 mm.
MIRA GINO	L700S,L710S	-15mm	S1	DDU1261S01R	DDU1261S01L	-	
MIRA GINO	L650S,L660S	-20mm	S16	DDU1272S16R	DDU1272S16L	NPC001	Common to SONICA(L405S,L415S)
MIRA TOCOT	LA550S,LA560S	-20mm	S6	DDU1450S06R	DDU1450S06L	NPC001	Offset toward door side is 5 mm. Seat drop is from Model MIRA e:S(LA350) specifications.
MIRA TOCOT	LA550S,LA560S	-45mm	S1	DDU1531S01R	DDU1531S01L	NPC001	Superlow model. Offset toward door side is 5 mm. Seat drop is from Model MIRA e:S(LA350) specifications.
MIRA,MIRA AVY	L250,L260	-20mm	S4	DDU1290S04R	DDU1290S04L	NPC001	
MOVE	L600	-10mm	S4	DDU1320S04R	DDU1320S04L	-	
MOVE	L900S,L902S	-15mm	S4	DDU1330S04R	DDU1330S04L	-	
MOVE	L150S,L160S	-15mm	S4	DDU1370S04R	DDU1370S04L	-	Common to MOVE LATTE(L550S,L560).
MOVE	L175S,L185S	-15mm	S36	DDU1340S36R	DDU1340S36L	NPC001	
MOVE	LA100S,LA110S	-15mm	S36	DDU1341S36R	DDU1341S36L	NPC001	Common to MOVE(LA150S,LA160S,L175S,L185S),STELLA(LA100F,LA110F).
MOVE	LA150S,LA160S	-15mm	S36	DDU1342S36R	DDU1342S36L	NPC001	Common to MOVE(LA150S,LA160S,L175S,L185S),STELLA(LA100F,LA110F).
MOVE CANBUS	LA800S,LA810S	-20mm	S16	DDU1500S16R	DDU1500S16L	NPC001	Seat drop is from Model TANTO(L375S,L385S)specifications.
MOVE CANBUS	LA850S	-15mm	S36	DDU1520S36R	DDU1520S36L	NPC001	Compatibility with 4WD/LA860S vehicles to be confirmed.
MOVE CONTE	L550S.L560S	-15mm	S4	DDU1371S04R	DDU1371S04L	NPC001	
MOVE CONTE	L575S,L585S	-20mm	S36		DDU1360S36L	NPC001	
NAKED	L750,L760	-15mm	S4	DDU1200S04R		-	
OPTI	L300S,L310S	-10mm	S1	DDU1420S01R	DDU1420S01L	-	The seat belt anchor is fixed to the floor.
OPTI	L800S,L810S	-15mm	S1	DDU1430S01R	DDU1430S01L	-	
ROCKY	A200S,A201S A202S,A210S	-25mm	S36	DDU1400S36R	DDU1400S36L	NPC001	Common to RAIZE(A200A,A201A,A202A,A210A). Relocation of passenger seat pressure sensor is required.

ROCKY	A200S,A201S A202S,A210S	-25mm	LS9	DDU1400S09R	DDU1400S09L	NPC001	Common to RAIZE(A200A,A201A,A202A,A210A). Relocation of passenger seat pressure sensor is required.
SONICA	L405S,L415S	-20mm	S16	DDU1271S16R	DDU1271S16L	NPC001	Common to MIRA(L275,L285),MIRA GINO(L650,L660). Seat drop is from Model MIRA(L275) specifications.
STORIA	M110S,M112S	-10mm	S4	DDU1120S04R	DDU1120S04L	NPC001	Common to DUET(M111S,M101S,M110S,M112S).
STORIA	M100S,M101S,M110S M111S,M112S	-30mm	S1	DDU1140S01R	DDU1140S01L	NPC001	Superlow model. Offset toward door side is 30 mm. Common to DUET(M111S,M101S,M110S,M112S).
STORIA	M100S,M101S,M110S M111S,M112S	-50mm	SSD	DDU1130SSDR	DDU1130SSDL	NPC001	Offset toward door side is 30 mm. Common to DUET(M111S,M101S,M110S,M112S).
TAFT	LA900S,LA910S	-20mm	S6	DDU1390S06R	DDU1390S06L	NPC001	
ΤΑΝΤΟ	L350S,L360S	-20mm	S16	DDU1460S16R	_	NPC001	Not compatible with passenger seats. Seat drop is from Model TANTO(L375) specifications.
TANTO	L375S,L385S	-20mm	S16	DDU1150S16R	-	NPC001	Not compatible with passenger seats.
ΤΑΝΤΟ	LA600S,LA610S	-20mm	S16	DDU1470S16R	-	NPC001	Not compatible with passenger seats. Seat drop is from Model TANTO(L375) specifications.
TANTO EXE	L455S,L465S	-35mm	S36	DDU1160S36R	DDU1160S36L	-	Offset toward console side is 11 mm.
TERIOS KID TERIOS LUCIA	J111G,J131G	-15mm	S4	DDU1170S04R	DDU1170S04L	NPC001	
THOR	M900S,M910S	-30mm	S36	DDU1190S36R	DDU1190S36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Common to TANK,ROOMY,JUSTY.
WAKE	LA700S,LA710S	-35mm			DDU1070S36L	NPC001	Use genuine base.
YRV	M200G,M201G,M211G	-10mm	S4	DDU1040S04R	DDU1040S04L	-	