

The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat.

It is measured by mounting a Recaro Reclining seat.

— explanatory note — Differences may arise due to the position of the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.

Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.

Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

HONDA

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
ACCORD	CD,CE,CF2,CF1	-15mm	B4	DHA1220B04R	DHA1220B04L	-	Excluding coupe.
ACCORD,ACCORD WAGON TORNEO	CF3,CF6,CF7,CH9 CL1,CL2,CL3	-15mm	B4	DHA1260B04R	DHA1260B04L	-	
ACCORD	CM2,CM3,CL7,CL8,CL9	-25mm	B4	DHA1250B04R	DHA1250B04L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
ACCORD	CU,CW	-15mm	B36	DHA1210B36R	DHA1210B36L	NPC001	Relocation of passenger seat pressure sensor is required.
ACCORD HYBRID	CR6,CR7	-20mm	B36	DHA1241B36R	DHA1241B36L	NPC002	
ASCOT,RAFAGA	CE4,CE5	-20mm	B4	DHA1270B04R	DHA1270B04L	-	'95/6~ Vehicles with manual and electric adjusters cannot be installed.
AVANCIER	TA1,TA2,TA3	-15mm	B4	DHA1280B04R	DHA1280B04L	-	
CAPA	GA4,GA6	-20mm	B4	DHA1480B04R	DHA1480B04L	-	
CITY	GA1,GA2	-10mm	B1	DHA1530B01R	DHA1530B01L	-	
CIVIC	EG3,EG4,EG5,EG6 EG8,EG9	-10mm	B4	DHA1540B04R	DHA1540B04L	-	2WD
CIVIC	EG3,EG4,EG5,EG6 EG8,EG9	-50mm	B1	DHA1550B01R	DHA1550B01L	-	2WD Superlow model.
CIVIC	EK2,EK3,EK4,EK5 EK6,EK7,EK8,EK9	-10mm	B4	DHA1560B04R	DHA1560B04L	-	2WD
CIVIC	EK2,EK3,EK4,EK5 EK6,EK7,EK8,EK9	-50mm	B1	DHA1570B01R	DHA1570B01L	-	2WD Superlow model.
CIVIC	EP3	-20mm	B1	DHA1580B01R	DHA1580B01L	-	Not compatible with passenger seats of vehicles with i-side airbags.
CIVIC	EP3	-35mm	B1	DHA1590B01R	DHA1590B01L	-	Not compatible with passenger seats of vehicles with i-side airbags. Superlow model.
CIVIC	EU,ES	-10mm	B4	DHA1600B04R	DHA1600B04L	NPC001	2WD Not compatible with passenger seats of vehicles with i-side airbags.
CIVIC	UK	-10mm	B4	DHA1610B04R	DHA1610B04L	NPC001	
CIVIC	FD1,FD2,FD3	-20mm	B4	DHA1620B04R	DHA1620B04L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags. Interferes with shoulder width exceeding 600 mm.

CIVIC	FD1,FD2,FD3	-45mm	B1	DHA1630B01R	DHA1630B01L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags. Superlow model. Interferes with shoulder width exceeding 600 mm.
CIVIC TYPE R EURO	FN2	-25mm	B1	DHA1640B01R	DHA1640B01L	-	Seats with a convex bottom (such as AM19) are not compatible. Offset toward door side is 10 mm. Interferes with shoulder width exceeding 560 mm.
CIVIC	FC1,FK7,FK8	-15mm	B6	DHA1650B06R	DHA1650B06L	NPC002	Relocation of passenger seat pressure sensor is required.
CIVIC	FL1,FL4,FL5	-10mm	B6	DHA2190B06R	DHA2190B06L	NPC001	Relocation of passenger seat pressure sensor is required.
CROSSROAD	RT1,RT3	-20mm	B36	DHA1500B36R	DHA1500B36L	NPC001	Interferes with shoulder width exceeding 650 mm.
CROSSROAD	RT2,RT4	-20mm	B36	DHA1510B36R	DHA1510B36L	NPC001	Interferes with shoulder width exceeding 650 mm.
CR-V	RE3,RE4	-20mm	B16	DHA1010B16R	DHA1010B16L	NPC001	
CR-V	RD1,RD2,RD3	-15mm	B4	DHA1030B04R	DHA1030B04L	-	
CR-V	RD4,RD5	-30mm	B4	DHA1040B04R	DHA1040B04L	NPC001	Passenger side table not compatible.
CR-V	RM1,RM4	-20mm	B36	DHA1020B36R	DHA1020B36L	NPC002	Relocation of passenger seat pressure sensor is required.
CR-V	RW1,RW2	-25mm	B6	DHA2040B06R	DHA2040B06L	NPC002	Relocation of passenger seat pressure sensor is required. Hybrid / RT5, RT6 unconfirmed.
CR-X	AE,AF,AS	-15mm	B1	DHA1060B01R	DHA1060B01L	-	
CR-X	EF6,EF7,EF8	-10mm	B1	DHA1050B01R	DHA1050B01L	-	
CR-Z	ZF1	-10mm	B6	DHA1070B06R	DHA1070B06L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags. Offset toward door side is 5 mm.
ELEMENT	YH2	-25mm	B4	DHA1410B04R	DHA1410B04L	-	
ELYSION	PR1,PR2,PR3,PR4	-25mm	B36	DHA1400B36R	DHA1400B36L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
FIT	GD1,GD2,GD3,GD4	-20mm	B1	DHA1820B01R	DHA1820B01L	NPC001	
FIT	GD1,GD2,GD3,GD4	-20mm	B4	DHA1830B04R	DHA1830B04L	NPC001	
FIT	GE6,GE7,GE8,GE9 GP1,GP4	-10mm	B6	DHA1840B06R	DHA1840B06L	NPC001	Offset toward door side is 10 mm. Relocation of passenger seat pressure sensor is required.
FIT	GP5,GK3,GK4,GK5,GK6	-20mm	B6	DHA1860B06R	DHA1860B06L	NPC001	Offset toward door side is 15 mm.
FIT	GP5,GK3,GK4,GK5,GK6	-40mm	B1	DHA1870B01R	DHA1870B01L	NPC001	Superlow model. Offset toward door side is 15 mm. Seats with a convex bottom (such as AM19) are not compatible. When using the seat rail conversion adapter, 270 mm front to rear x 345 mm left to right cannot be installed.
FIT	GR1,GR3,GR5,GR6 GS4,GS5	-25mm	B6	DHA2080B06R	DHA2080B06L	NPC001	Offset toward door side is 10 mm. The rotating sheet and 4WD has not been confirmed. When using the seat rail conversion adapter, 270 mm front to rear x 345 mm left to right cannot be installed.
FIT	GR1,GR3,GR5,GR6 GS4,GS5	-25mm	LB9	DHA2080B09R	DHA2080B09L	NPC001	The rotating sheet and 4WD has not been confirmed.

FIT	GR4,GR8	-25mm	B6	DHA2200B06R	DHA2200B06L	NPC001	4WD Offset toward door side is 10 mm. When using the seat rail conversion adapter, 270 mm front to rear x 345 mm left to right cannot be installed.
FIT	GR4,GR8	-25mm	LB9	DHA2210B09R	DHA2210B09L	NPC001	4WD
FREED	GB3,GB4	-20mm	B36	DHA1880B36R	DHA1880B36L	NPC001	The rotating sheet and 4WD has not been confirmed.
FREED	GB5,GB6,GB7,GB8	-40mm	B6	DHA1890B06R	DHA1890B06L	NPC001	Offset toward door side is 7 mm. Use genuine base.
GRACE	GM4,GM5,GM6,GM9	-20mm	B6	DHA1490B06R	DHA1861B06L	NPC001	Offset toward door side is 15 mm.
HR-V	GH1,GH2,GH3,GH4	-20mm	B4	DHA1080B04R	DHA1080B04L	-	
INSIGHT	ZE1	-20mm	B1	DHA1290B01R	DHA1290B01L	-	
INSIGHT	ZE2,ZE3	-10mm	B36	DHA1300B36R	DHA1300B36L	NPC001	
INSPIRE	UA1,UA2,UA3	-15mm	B4	DHA1320B04R	DHA1320B04L	-	
INSPIRE	UA4,UA5	-10mm	B4	DHA1330B04R	DHA1330B04L	NPC001	'99/11~ Not compatible with passenger seats of vehicles with i-side airbags.
INSPIRE	UC1	-35mm	B6	DHA1310B06R	DHA1310B06L	NPC001	
INSPIRE	CP3	-30mm	B6	DHA2180B06R	DHA2180B06L	NPC001	Offset toward door side is 5 mm.
INTEGRA	DB6,DB7,DB8,DC1,DC2	-15mm	B1	DHA1350B01R	DHA1350B01L	-	
INTEGRA	DC5	-15mm	B1	DHA1360B01R	DHA1360B01L	NPC001	
INTEGRA	DC5	-35mm	B1	DHA1370B01R	DHA1370B01L	NPC001	Superlow model.
JADE	FR4,FR5	-20mm	B6	DHA1520B06R	DHA1520B06L	NPC002	Relocation of passenger seat pressure sensor is required. Interferes with shoulder width exceeding 600 mm.
LAGREAT	RL1	-20mm	B1	DHA1980B01R	DHA1980B01L	-	
LEGEND	KB1	-35mm	B4	DHA1990B04R	DHA1990B04L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
LEGEND	KA9	-15mm	B4	DHA2000B04R	DHA2000B04L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
LEGEND	KC2	-20mm	B36	DHA1240B36R	DHA1240B36L	NPC002	Not compatible with passenger seats of vehicles with i-side airbags.
LIFE	JA4	-10mm	B4	DHA1970B04R	-	-	
LIFE	JB1,JB2	-15mm	B4	DHA1950B04R	DHA1950B04L	-	Common to LIFE DUNK(JB3,4)
LIFE DUNK	JB3,JB4	-15mm	B4	DHA1951B04R	DHA1951B04L	-	Common to LIFE(JB1,2)
LIFE	JB5,JB6,JB7,JB8	-25mm	B4	DHA1960B04R	DHA1960B04L	-	type-C = Interchangeable for left and right. TypeF = Only the driver's seat can be replaced. type-D = Only the driver's seat cannot be replaced. It is possible if you replace both left and right at the same time or only the passenger seat.
LIFE	JC1,JC2	-15mm	B16	DHA1940B16R	DHA1940B16L	NPC001	
LOGO	GA3,GA5	-15mm	B4	DHA2010B04R	DHA2010B04L	-	~'98/10
LOGO	GA3,GA5	-15mm	B4	DHA2020B04R	DHA2020B04L	-	'98/11~
MOBILIO	GB1,GB2	-25mm	B4	DHA1920B04R	DHA1920B04L	NPC001	
MOBILIO SPIKE	GK1,GK2	-25mm	B4	DHA1930B04R	DHA1930B04L	NPC001	
N-BOX	JF1,JF2	-10mm	B6	DHA1100B06R	DHA1100B06L	NPC001	Use genuine base. Relocation of passenger seat pressure sensor is required.
N-BOX	JF1,JF2	-35mm	B36	DHA1110B36R	DHA1110B36L	NPC001	Superlow model. Relocation of passenger seat pressure sensor is required.

N-BOX	JF3,JF4	-20mm	B6	DHA2050B06R	DHA2050B06L	NPC001	Use genuine base. Cannot be installed in vehicles with super slide passenger seats.
N-BOX SLASH	JF1,JF2	-10mm	B6	DHA1101B06R	DHA1101B06L	NPC001	Use genuine base. Relocation of passenger seat pressure sensor is required.
N-BOX SLASH	JF1,JF2	-35mm	B36	DHA1121B36R	DHA1121B36L	NPC001	Superlow model. Relocation of passenger seat pressure sensor is required.
N-ONE	JG1,JG2	-15mm	B6	DHA1120B06R	DHA1120B06L	NPC001	Relocation of passenger seat pressure sensor is required.
N-ONE	JG1,JG2	-40mm	B1	DHA1120B01R	DHA1120B01L	NPC001	Superlow model. Relocation of passenger seat pressure sensor is required. AM19 requires a 20mm spacer with or without electric function.
N-ONE	JG3,JG4	-15mm	B6	DHA2100B06R	DHA2100B06L	NPC002	Relocation of passenger seat pressure sensor is required. Not compatible with shoulder width exceeding 540 mm. Interferes with seat width exceeding 510 mm. When using the seat rail conversion adapter, 270 mm front to rear x 345 mm left to right cannot be installed.
N-ONE	JG3,JG4	-15mm	LB9	DHA2100B09R	DHA2100B09L	NPC002	Relocation of passenger seat pressure sensor is required. Not compatible with shoulder width exceeding 540 mm. Interferes with seat width exceeding 510 mm.
N-ONE	JG3,JG4	-45mm	B1	DHA2090B01R	DHA2090B01L	NPC002	Superlow model. Relocation of passenger seat pressure sensor is required. Not compatible with shoulder width exceeding 540 mm. Interferes with seat width exceeding 510 mm. When using the seat rail conversion adapter, 270 mm front to rear x 345 mm left to right cannot be installed.
NSX	NA1,NA2	-20mm	B1	DHA1090B01R	DHA1090B01L	-	AM19 requires a 20mm spacer with or without electric function. When installing an IS24 Recaro seat, the headrest will interfere with the ceiling.
N-VAN	JJ1,JJ2	-20mm	B6	DHA2030B06R	-	-	Use genuine base.
N-VAN	JJ1,JJ2	-20mm	B16	-	DHA2030B16L	-	
N-WGN	JH1,JH2	-15mm	B36	DHA1130B36R	DHA1130B36L	NPC001	Relocation of passenger seat pressure sensor is required.
N-WGN	JH3,JH4	±0mm	B6	DHA2070B06R	DHA2070B06L	NPC001	Use genuine base.
ODYSSEY	RA1,RA2,RA3,RA4,RA5	-20mm	B36	DHA1420B36R	DHA1420B36L	-	
ODYSSEY	RA6,RA7,RA8,RA9	-15mm	B16	DHA1450B16R	DHA1450B16L	-	
ODYSSEY	RB1,RB2	-20mm	B36	DHA1430B36R	DHA1430B36L	NPC001	5AT Relocation of passenger seat pressure sensor is required.
ODYSSEY	RB1	-20mm	B36	DHA1440B36R	DHA1440B36L	NPC001	CVT Relocation of passenger seat pressure sensor is required.
ODYSSEY	RB3,RB4	-20mm	B36	DHA2110B36R	DHA2110B36L	NPC001	5AT Relocation of passenger seat pressure sensor is required.
ODYSSEY	RB3	-20mm	B36	DHA2120B36R	DHA2120B36L	NPC001	CVT Relocation of passenger seat pressure sensor is required.

ODYSSEY	RC1,RC2,RC4	±0mm	B36	DHA1460B36R	DHA1460B36L	NPC001	Use genuine base. Relocation of passenger seat pressure sensor is required.
ODYSSEY	RC1,RC2,RC4	-25mm	B6	DHA1460B06R	DHA1460B06L	NPC001	Superlow model. Use genuine base. Relocation of passenger seat pressure sensor is required.
ORTHIA,PARTNER	EL1,EY6,EY7,EY8	-20mm	B4	DHA1470B04R	DHA1470B04L	-	
PRELUDE	BD1,BD2,BA8,BA9	-15mm	B1	DHA1900B01R	DHA1900B01L	-	
PRELUDE	BD5,BB6,BB7,BB8	-15mm	B1	DHA1910B01R	DHA1910B01L	-	
S2000	AP1,AP2	-10mm	B1	DHA1140B01R	DHA1140B01L	-	
SABER	UA1,UA2,UA3	-15mm	B4	DHA1770B04R	DHA1770B04L	-	
SABER	UA4,UA5	-10mm	B4	DHA1780B04R	DHA1780B04L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
S-MX	RH1,RH2	-15mm	B4	DHA1160B04R	DHA1160B04L	-	
SHUTTLE	GK8,GK9,GP7,GP8	-20mm	B6	DHA1862B06R	DHA1862B06L	NPC001	Offset toward door side is 15 mm.
SHUTTLE	GK8,GK9,GP7,GP8	-40mm	B1	DHA1872B01R	DHA1872B01L	NPC001	Superlow model. Offset toward door side is 15 mm. Seats with a convex bottom (such as AM19) are not compatible. When using the seat rail conversion adapter, 270 mm front to rear x 345 mm left to right cannot be installed.
STEPWGN	RF1,RF2	-10mm	B4	DHA1660B04R	DHA1660B04L	-	
STEPWGN	RF3,RF4	-20mm	B4	DHA1730B04R	DHA1730B04L	NPC001	~'03/4 Not compatible with passenger seats of vehicles with i-side airbags.
STEPWGN	RF3,RF4,RF5 RF6,RF7,RF8	-30mm	B4	DHA1720B04R	DHA1720B04L	NPC001	'03/5~ Not compatible with passenger seats of vehicles with i-side airbags.
STEPWGN	RG1,RG2,RG3,RG4	-20mm	B16	DHA1670B16R	DHA1670B16L	NPC001	
STEPWGN	RK1,RK2	-10mm	B36	DHA1680B36R	DHA1680B36L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
STEPWGN SPADA	RK5,RK6	-10mm	B36	DHA1690B36R	DHA1690B36L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
STEPWGN	RP1,RP2	-20mm	B36	DHA1700B36R	DHA1700B36L	NPC001	The puncture repair kit beneath the driver's seat must be relocated.
STEPWGN SPADA	RP3,RP4	-20mm	B36	DHA1710B36R	DHA1710B36L	NPC001	Excluding hybrid. The puncture repair kit beneath the driver's seat must be relocated.
STEPWGN SPADA	RP5	±0mm	B6	DHA2060B06R	DHA2060B06L	NPC001	For hybrid vehicles Use genuine base. The puncture repair kit beneath the driver's seat must be relocated.
STREAM	RN1	-15mm	B4	DHA1740B04R	DHA1740B04L	-	2WD 1.7L '00/10~
STREAM	RN2,RN3,RN4	-15mm	B4	DHA1750B04R	DHA1750B04L	-	2WD 2.0L '00/10~ 4WD 1.7,2.0L '00/10~
STREAM	RN6,RN8	-20mm	B36	DHA1760B36R	DHA1760B36L	NPC001	2WD Not compatible with passenger seats of vehicles with i-side airbags.
TODAY	JA1,JA2,JW1,JW2,JW3	-10mm	B1	DHA1800B01R	DHA1800B01L	-	4WD/JA3,JW4 cannot be installed.

TODAY	JA4	±0mm	B1	DHA1180B01R	-	-	4WD/JA5 cannot be installed. Passenger seatr cannot be installed. When installing the IS24 Recaro seat, the belt stays and bolts and nuts will interfere with the seat. Seats with a convex bottom (such as AM19) are not compatible. Seat rail conversion adapter cannot be installed.
VAMOS	HM1, HM2	-20mm	B1	DHA1810B01R	DHA1810B01L	-	
VEZEL	RU1, RU2, RU3, RU4	-20mm	B6	DHA1380B06R	DHA1380B06L	NPC001	Offset toward door side is 15 mm.
VEZEL	RU1, RU2, RU3, RU4	-40mm	B1	DHA1390B01R	DHA1390B01L	NPC001	Superlow model. Offset toward door side is 15 mm. Seats with a convex bottom (such as AM19) are not compatible. When using the seat rail conversion adapter, 270 mm front to rear x 345 mm left to right cannot be installed.
VEZEL	RV3, RV4, RV5, RV6	-20mm	B6	DHA2140B06R	DHA2140B06L	NPC001	Offset toward door side is 15 mm.
VEZEL	RV3, RV4, RV5, RV6	-40mm	B1	DHA2150B01R	DHA2150B01L	NPC001	Superlow model. Offset toward door side is 15 mm. Seats with a convex bottom (such as AM19) are not compatible. When using the seat rail conversion adapter, 270 mm front to rear x 345 mm left to right cannot be installed.
Z	PA1	-10mm	B4	DHA1190B04R	DHA1190B04L	-	
ZEST	JE1	-20mm	B4	DHA1790B04R	DHA1790B04L	NPC001	Compatibility 4WD/JE2 unknown. Not compatible with passenger seats of vehicles with i-side airbags. Interferes with shoulder width exceeding 550 mm.