The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat. It is measured by mounting a Recaro or Bride full bucket seat at the lowest position possible without the seat bottom interfering with the seat rail or vehicle floor. Differences may arise due to the position of the seat to be mounted (the position of the bolt holes), the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.

## - explanatory note -

Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.

Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

	HONDA									
Model Name	Model Code	Seat Drop	Туре	Right Part No.	Left Part No.	Side SRS	Remarks			
ACCORD	CD,CE,CF2,CF1	-15mm	S4	DHA1220S04R	DHA1220S04L	-	Excluding coupe.			
ACCORD,ACCORD WAGON TORNEO	CF3,CF6,CF7,CH9 CL1,CL2,CL3	-15mm	S4	DHA1260S04R	DHA1260S04L	-				
ACCORD	CM2,CM3,CL7,CL8,CL9	-25mm	S4	DHA1250S04R	DHA1250S04L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.			
ACCORD	CU,CW	-15mm	S36	DHA1210S36R	DHA1210S36L	NPC001	Relocation of passenger seat pressure sensor is required.			
ACCORD HYBRID	CR6,CR7	-20mm	S36	DHA1241S36R	DHA1241S36L	NPC002				
ASCOT,RAFAGA	CE4,CE5	-20mm	S4	DHA1270S04R	DHA1270S04L	-	'95/6 $\sim$ Vehicles with manual and electric adjusters cannot be installed.			
AVANCIER	TA1,TA2,TA3	-15mm	S4	DHA1280S04R	DHA1280S04L	-				
CITY	GA1,GA2	-10mm	S1	DHA1530S01R	DHA1530S01L	-				
CITY	GA1,GA2	-10mm	S1	DHA1530S01R	DHA1530S01L	-				
CIVIC	EG3,EG4,EG5,EG6 EG8,EG9	-10mm	S4	DHA1540S04R	DHA1540S04L	-	2WD			
CIVIC	EG3,EG4,EG5,EG6 EG8,EG9	-50mm	S1	DHA1550S01R	DHA1550S01L	-	2WD Superlow model.			
CIVIC	EK2,EK3,EK4,EK5 EK6,EK7,EK8,EK9	-10mm	S4	DHA1560S04R	DHA1560S04L	-	2WD			
CIVIC	EK2,EK3,EK4,EK5 EK6,EK7,EK8,EK9	-50mm	S1	DHA1570S01R	DHA1570S01L	-	2WD Superlow model.			
CIVIC	EP3	-20mm	S1	DHA1580S01R	DHA1580S01L	-	Not compatible with passenger seats of vehicles with i-side airbags.			
CIVIC	EP3	-35mm	S1	DHA1590S01R	DHA1590S01L	-	Not compatible with passenger seats of vehicles with i-side airbags. Superlow model.			
CIVIC	EU,ES	-10mm	S4	DHA1600S04R	DHA1600S04L	NPC001	2WD Not compatible with passenger seats of vehicles with i-side airbags.			
CIVIC	UK	-10mm	S4	DHA1610S04R	DHA1610S04L	NPC001				
CIVIC	FD1,FD2,FD3	-20mm	S4	DHA1620S04R	DHA1620S04L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags. Interferes with shoulder width exceeding 600 mm.			

CIVIC	FD1,FD2,FD3	-45mm	S1	DHA1630S01R	DHA1630S01L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags. Superlow model.
CIVIC TYPE R EURO	FN2	-25mm	S1	DHA1640S01R	DHA1640S01L	-	Interferes with shoulder width exceeding 600 mm. Seats with a convex bottom (such as AM19) are not compatible. Offset toward door side is 10 mm. Interferes with shoulder width exceeding 560 mm.
CIVIC	FC1,FK7,FK8	-15mm	S6	DHA1650S06R	DHA1650S06L	NPC002	Relocation of passenger seat pressure sensor is required.
CIVIC	FL1,FL4,FL5	-10mm	S6		DHA2190S06L		Relocation of passenger seat pressure sensor is required.
CROSSROAD	RT1,RT3	-20mm	S36		DHA1500S36L	NPC001	Interferes with shoulder width exceeding 650 mm.
CROSSROAD	RT2,RT4	-20mm	S36		DHA1510S36L	NPC001	Interferes with shoulder width exceeding 650 mm.
CR-V	RE3,RE4	-20mm	S16		DHA1010S16L		
CR-V	RD1,RD2,RD3	-15mm	S4		DHA1030S04L	-	
CR-V	RD4,RD5	-30mm	S4		DHA1040S04L	NPC001	Passenger side table not compatible.
CR-V	RM1,RM4	-20mm	S36		DHA1020S36L		Relocation of passenger seat pressure sensor is required.
CR-V	RW1,RW2	-25mm	S6		DHA2040S06L		Relocation of passenger seat pressure sensor is required. Hybrid / RT5, RT6 unconfirmed.
CR-X	AE,AF,AS	-15mm	S1	DHA1060S01R	DHA1060S01L	-	Offset toward door side is 10 mm. CPU interference under the driver's seat. Interferes with shoulder width exceeding 670 mm.
CR-X	EF6,EF7,EF8	-10mm	S1	DHA1050S01R	DHA1050S01L	-	
CR-Z	ZF1	-10mm	S6	DHA1070S06R	DHA1070S06L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags. Offset toward door side is 5 mm.
ELEMENT	YH2	-25mm	S4	DHA1410S04R	DHA1410S04L	-	
ELYSION	PR1,PR2,PR3,PR4	-25mm	S36	DHA1400S36R	DHA1400S36L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
FIT	GD1,GD2,GD3,GD4	-20mm	S1	DHA1820S01R	DHA1820S01L	NPC001	
FIT	GD1,GD2,GD3,GD4	-20mm	S4	DHA1830S04R	DHA1830S04L	NPC001	
FIT	GE6,GE7,GE8,GE9 GP1,GP4	-10mm	S6	DHA1840S06R	DHA1840S06L	NPC001	Offset toward door side is 10 mm. Relocation of passenger seat pressure sensor is required.
FIT	GP5,GK3,GK4,GK5,GK6	-20mm	S6	DHA1860S06R	DHA1860S06L	NPC001	Offset toward door side is 15 mm.
FIT	GP5,GK3,GK4,GK5,GK6	-40mm	S1	DHA1870S01R	DHA1870S01L	NPC001	Superlow model. Offset toward door side is 15 mm. Seats with a convex bottom (such as AM19) are not compatible.
FIT	GR1,GR3,GR5,GR6 GS4,GS5	-25mm	S6	DHA2080S06R	DHA2080S06L	NPC001	Offset toward door side is 10 mm.
FIT	GR1,GR3,GR5,GR6 GS4,GS5	-25mm	LS9	DHA2080S09R	DHA2080S09L	NPC001	
FIT	GR4,GR8	-25mm	S6	DHA2200S06R	DHA2200S06L	NPC001	Offset toward door side is 10 mm.
FIT	GR4,GR8	-25mm	LS9		DHA2210S09L		
FREED	GB3,GB4	-20mm	S36		DHA1880S36L		Offset toward door side is 7 mm.

FREED	GB5,GB6,GB7,GB8	-40mm	S6	DHA1890S06R	DHA1890S06L	NPC001	Use genuine base. Relocation of passenger seat pressure sensor is required.
GRACE	GM4,GM5,GM6,GM9	-20mm	S6		DHA1861S06L		Offset toward door side is 15 mm.
HR-V	GH1,GH2,GH3,GH4	-20mm	S4		DHA1080S04L	-	
INSIGHT	ZE1	-20mm	S1		DHA1290S01L	-	
INSIGHT	ZE2,ZE3	-10mm	S36		DHA1300S36L	NPC001	
INSPIRE	UC1	-35mm	S6		DHA1310S06L		
INSPIRE	UA1,UA2,UA3	-15mm	S4		DHA1320S04L	-	
INSPIRE	UA4,UA5	-10mm	S4			NPC001	'99/11 $\sim$ Not compatible with passenger seats of vehicles with i-side airbags.
INSPIRE	СРЗ	-30mm	S6	DHA2180S06R	DHA2180S06L	NPC001	Offset toward door side is 5 mm. Relocation of passenger seat pressure sensor is required.
INTEGRA	DB6,DB7,DB8,DC1,DC2	-15mm	S1	DHA1350S01R	DHA1350S01L	-	
INTEGRA	DB6,DB7,DB8,DC1,DC2	-30mm	SSD	DHA1340SSDR	DHA1340SSDL	. –	
INTEGRA	DC5	-15mm	S1	DHA1360S01R	DHA1360S01L	NPC001	
INTEGRA	DC5	-35mm	S1		DHA1370S01L		Superlow model.
JADE	FR4,FR5	-20mm	S6	DHA1520S06R	DHA1520S06L	NPC002	Relocation of passenger seat pressure sensor is required. Interferes with shoulder width exceeding 600 mm.
LAGREAT	RL1	-20mm	S1	DHA1980S01R	DHA1980S01L	-	
LEGEND	KB1	-35mm	S4	DHA1990S04R	DHA1990S04L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
LEGEND	КА9	-15mm	S4	DHA2000S04R	DHA2000S04L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
LEGEND	KC2	-20mm	S36	DHA1240S36R	DHA1240S36L	NPC002	Not compatible with passenger seats of vehicles with i-side airbags.
LIFE	JA4	-10mm	S4	DHA1970S04R	_	-	
LIFE	JB1,JB2	-15mm	S4	DHA1950S04R	DHA1950S04L	-	Common to LIFE DUNK(JB3,4)
LIFE DUNK	JB3,JB4	-15mm	S4	DHA1951S04R	DHA1951S04L	-	Common to LIFE(JB1,2)
LIFE	JB5,JB6,JB7,JB8	-25mm	S4	DHA1960S04R	DHA1960S04L	-	type-C = Interchangeable for left and right. TypeF = Only the driver's seat can be replaced. type-D = Only the driver's seat cannot be replaced. It is possible if you replace both left and right at the same time or only the passenger seat.
LIFE	JC1,JC2	-15mm	S16	DHA1940S16R	DHA1940S16L	NPC001	
LOGO	GA3,GA5	-15mm	S4	DHA2010S04R	DHA2010S04L	-	~′98/10
LOGO	GA3,GA5	-15mm	S4	DHA2020S04R	DHA2020S04L	-	′98/11~
MOBILIO	GB1,GB2	-25mm	S4	DHA1920S04R	DHA1920S04L	NPC001	
MOBILIO SPIKE	GK1,GK2	-25mm	S4	DHA1930S04R	DHA1930S04L	NPC001	
N-BOX	JF1,JF2	-10mm	S6	DHA1100S06R	DHA1100S06L	NPC001	Use genuine base. Relocation of passenger seat pressure sensor is required.
N-BOX	JF1,JF2	-35mm	S36	DHA1110S36R	DHA1110S36L	NPC001	Superlow model. Relocation of passenger seat pressure sensor is required.
N-BOX	JF3,JF4	-20mm	S6	DHA2050S06R	DHA2050S06L	NPC001	Use genuine base. Cannot be installed in vehicles with super slide passenger seats.

N-BOX SLASH	JF1,JF2	-10mm	S6	DHA1101S06R	DHA1101S06L	NPC001	Use genuine base. Relocation of passenger seat pressure sensor is required.
N-BOX SLASH	JF1,JF2	-35mm	S36	DHA1121S36R	DHA1121S36L	NPC001	Superlow model. Relocation of passenger seat pressure sensor is required.
N-ONE	JG1,JG2	-15mm	S6	DHA1120S06R	DHA1120S06L	NPC001	Relocation of passenger seat pressure sensor is required.
N-ONE	JG1,JG2	-40mm	S1	DHA1120S01R	DHA1120S01L	NPC001	Superlow model. Relocation of passenger seat pressure sensor is required.
N-ONE	JG3,JG4	-15mm	S6	DHA2100S06R	DHA2100S06L	NPC002	Relocation of passenger seat pressure sensor is required. Interferes with shoulder width exceeding 540 mm.
N-ONE	JG3,JG4	-15mm	LS9	DHA2100S09R	DHA2100S09L	NPC002	Relocation of passenger seat pressure sensor is required. Interferes with shoulder width exceeding 540 mm.
N-ONE	JG3,JG4	-45mm	S1	DHA2090S01R	DHA2090S01L	NPC002	Superlow model. Relocation of passenger seat pressure sensor is required. Interferes with shoulder width exceeding 540 mm.
NSX	NA1,NA2	-20mm	S1	DHA1090S01R	DHA1090S01L	-	
N-VAN	JJ1,JJ2	-20mm	S6	DHA2030S06R		-	Use genuine base.
N-VAN	JJ1,JJ2	-20mm	S16	-	DHA2030S16L	-	
N-VAN e:	333	-20mm	S6	DHA2031S06R	-	NPC001	Use genuine base.
N-VAN e:	333	-20mm	S16	-	DHA2031S16L	NPC001	
N-WGN	JH1,JH2	-15mm	S36	DHA1130S36R	DHA1130S36L	NPC001	Relocation of passenger seat pressure sensor is required.
N-WGN	JH3,JH4	±Omm	S6	DHA2070S06R	DHA2070S06L	NPC001	Use genuine base.
ODYSSEY	RA1,RA2,RA3,RA4,RA5	-20mm	S36		DHA1420S36L	-	-
ODYSSEY	RA6,RA7,RA8,RA9	-15mm	S16	DHA1450S16R	DHA1450S16L	-	
ODYSSEY	RB1,RB2	-20mm	S36	DHA1430S36R	DHA1430S36L	NPC001	5AT Relocation of passenger seat pressure sensor is required.
ODYSSEY	RB1	-20mm	S36	DHA1440S36R	DHA1440S36L	NPC001	CVT Relocation of passenger seat pressure sensor is required.
ODYSSEY	RB3,RB4	-20mm	S36	DHA2110S36R	DHA2110S36L	NPC001	5AT Relocation of passenger seat pressure sensor is required.
ODYSSEY	RB3	-20mm	S36	DHA2120S36R	DHA2120S36L	NPC001	CVT Relocation of passenger seat pressure sensor is required.
ODYSSEY	RC1,RC2,RC4	-25mm	S6		DHA1460S06L	NPC001	Use genuine base. Relocation of passenger seat pressure sensor is required.
ORTHIA,PARTNER	EL1,EY6,EY7,EY8	-20mm	S4	DHA1470S04R	DHA1470S04L	-	
PRELUDE	BD1,BD2,BA8,BA9	-15mm	S1	DHA1900S01R	DHA1900S01L	-	
PRELUDE	BD5,BB6,BB7,BB8	-15mm	S1	DHA1910S01R	DHA1910S01L	-	
S2000	AP1,AP2	-10mm	S1	DHA1140S01R	DHA1140S01L	-	
SABER	UA1,UA2,UA3	-15mm	S4		DHA1770S04L	-	
SABER	UA4,UA5	-10mm	S4		DHA1780S04L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
S-MX	RH1,RH2	-15mm	S4		DHA1160S04L	-	
SHUTTLE	GK8,GK9,GP7,GP8	-20mm	S6		DHA1862S06L	NPC001	Offset toward door side is 15 mm.

h						1	
SHUTTLE	GK8,GK9,GP7,GP8	-40mm	S1	DHA1872S01R	DHA1872S01L	NPC001	Superlow model. Offset toward door side is 15 mm. Seats with a convex bottom (such as AM19) are not compatible.
STEPWGN	RF1,RF2	-10mm	S4	DHA1660S04R	DHA1660S04L	-	
STEPWGN	RF3,RF4	-20mm	S4	DHA1730S04R	DHA1730S04L	NPC001	$\sim$ '03/4 Not compatible with passenger seats of vehicles with i-side airbags.
STEPWGN	RF3,RF4,RF5 RF6,RF7,RF8	-30mm	S4		DHA1720S04L		'03/5 $\sim$ Not compatible with passenger seats of vehicles with i-side airbags.
STEPWGN	RG1,RG2,RG3,RG4	-20mm	S16	DHA1670S16R	DHA1670S16L	NPC001	
STEPWGN	RK1,RK2	-10mm	S36	DHA1680S36R	DHA1680S36L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
STEPWGN SPADA	RK5,RK6	-10mm	S36	DHA1690S36R	DHA1690S36L	NPC001	Not compatible with passenger seats of vehicles with i-side airbags.
STEPWGN	RP1,RP2	-20mm	S36	DHA1700S36R	DHA1700S36L	NPC001	The puncture repair kit beneath the driver's seat must be relocated.
STEPWGN SPADA	RP3,RP4	-20mm	S36	DHA1710S36R	DHA1710S36L		Excluding hybrid. The puncture repair kit beneath the driver's seat must be relocated.
STEPWGN SPADA	RP5	±Omm	S6	DHA2060S06R	DHA2060S06L	NPC001	For hybrid vehiclesUse genuine base. The puncture repair kit beneath the driver's seat must be relocated.
STREAM	RN1	-15mm	S4	DHA1740S04R	DHA1740S04L	-	2WD 1.7L '00/10~
STREAM	RN2,RN3,RN4	-15mm	S4	DHA1750S04R	DHA1750S04L	-	2WD 2.0L '00/10~ 4WD 1.7,2.0L '00/10~
STREAM	RN6,RN8	-20mm	S36	DHA1760S36R	DHA1760S36L	NPC001	2WD Not compatible with passenger seats of vehicles with i-side airbags.
TODAY	JA1,JA2,JW1,JW2,JW3	-10mm	S1	DHA1800S01R	DHA1800S01L	-	4WD/JA3,JW4 cannot be installed.
TODAY	JA4	±Omm	S1	DHA1180S01R	-	-	4WD/JA5 cannot be installed. 1-position offset seat rail.
VAMOS	HM1,HM2	-20mm	S1	DHA1810S01R	DHA1810S01L	-	
VEZEL	RU1,RU2,RU3,RU4	-20mm	S6	DHA1380S06R	DHA1380S06L	NPC001	Offset toward door side is 15 mm.
VEZEL	RU1,RU2,RU3,RU4	-40mm	S1	DHA1390S01R	DHA1390S01L	NPC001	Superlow model. Offset toward door side is 15 mm.
VEZEL	RV3,RV4,RV5,RV6	-20mm	S6	DHA2140S06R	DHA2140S06L	NPC001	Offset toward door side is 15 mm.
VEZEL	RV3,RV4,RV5,RV6	-40mm	S1	DHA2150S01R	DHA2150S01L	NPC001	Superlow model. Offset toward door side is 15 mm.
Z	PA1	-10mm	S4	DHA1190S04R	DHA1190S04L	-	
ZEST	JE1	-20mm	S4	DHA1790S04R	DHA1790S04L	NPC001	Compatibility 4WD/JE2 unknown. Not compatible with passenger seats of vehicles with i-side airbags. Interferes with shoulder width exceeding 550 mm.