

**— explanatory note —** The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat. It is measured by mounting a Recaro or Bride full bucket seat at the lowest position possible without the seat bottom interfering with the seat rail or vehicle floor. Differences may arise due to the position of the seat to be mounted (the position of the bolt holes), the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.  
 Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.  
 Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

## ITALY

### ABARTH

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
124 SPIDER	NF2EK	-10mm	S1	IAH1040S01R	IAH1040S01L	NPC001	Offset toward door side is 10 mm. Common to ROADSTER(ND5RC). Numerical value is from Model ROADSTER(ND5RC) specifications.
124 SPIDER	NF2EK	-50mm	SSD-V	IAH1050SSDVR	IAH1050SSDVL	NPC001	Offset toward door side is 15 mm. Common to ROADSTER(ND5RC). Numerical value is from Model ROADSTER(ND5RC) specifications.
500,595,695	312141,312142 31214B,31214T	-35mm	S36	IAH1020S36R	IAH1020S36L	NPC002	Relocation of passenger seat pressure sensor is required. Common to FIAT500(312#). Numerical value is from Model FIAT500(312#) specifications.
500,595,695	312141,312142 31214B,31214T	-65mm	S6	IAH1030S06R	IAH1030S06L	NPC002	Superlow model. If a woofer box is mounted on floor, it must be relocated. Relocation of passenger seat pressure sensor is required. Common to FIAT500(312#). Numerical value is from Model FIAT500(312#) specifications.
500,595,695	312141,312142 31214B,31214T	-60mm	LS9	IAH1030S09R	IAH1030S09L	NPC002	Superlow model. If a woofer box is mounted on floor, it must be relocated. Relocation of passenger seat pressure sensor is required. Common to FIAT500(312#). Numerical value is from Model FIAT500(312#) specifications.

### ALFA ROMEO

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
145	930A5	-15mm	S1	IAO1040S01R	IAO1040S01L	NPC003	
146	-	-15mm	S1	IAO1041S01R	IAO1041S01L	NPC003	Common to 145(930A5).
147	937AB	-20mm	S1	IAO1060S01R	IAO1060S01L	NPC003	Relocation of passenger seat pressure sensor is required.
147	937AB	-40mm	S1	IAO1070S01R	IAO1070S01L	NPC003	Superlow model. Offset toward door side is 10 mm. Relocation of passenger seat pressure sensor is required.

156	932A	-20mm	S1	IAO1010S01R	IAO1010S01L	NPC003	Relocation of passenger seat pressure sensor is required.
159	93922,93932	-5mm	S16	IAO1080S16R	IAO1080S16L	NPC001	Offset toward door side is 33 mm. Relocation of passenger seat pressure sensor is required.
166	936A	-15mm	S1	IAO1030S01R	IAO1030S01L	NPC003	Relocation of passenger seat pressure sensor is required.
4C	96018	±0mm	S1	IAO1090S01R	IAO1090S01L	-	Offset toward door side is 8 mm. Interferes with shoulder width exceeding 600 mm.
75	162B40	No data	S1	IAO1100S01R	IAO1100S01L	-	
BRERA	93922S,93932S	-10mm	S6	IAO1110S06R	IAO1110S06L	NPC002	Offset toward door side is 10 mm. Relocation of passenger seat pressure sensor is required.
GIULIA	95220,95229	±0mm	S6	IAO1170S06R	IAO1170S06L	NPC003	Offset toward door side is 5 mm. Relocation of passenger seat pressure sensor is required.,Relocation of the ECU is required. 4WD to be determined.
GIULIA	95220,95229	-15mm	S1	IAO1160S01R	IAO1160S01L	NPC003	Superlow model. Offset toward door side is 10 mm. Relocation of passenger seat pressure sensor is required.,Relocation of the ECU is required. 4WD to be determined.
GIULIETTA	94014	-10mm	S6	IAO1120S06R	IAO1120S06L	NPC002	Offset toward door side is 10 mm. Relocation of passenger seat pressure sensor is required.
GT	93720L	-20mm	S1	IAO1061S01R	IAO1061S01L	NPC003	Relocation of passenger seat pressure sensor is required.
GT	93720L	-40mm	S1	IAO1071S01R	IAO1071S01L	NPC003	Superlow model. Offset toward console side is 10 mm. Relocation of passenger seat pressure sensor is required.
GTV	916	±0mm	S1	IAO1130S01R	IAO1130S01L	NPC003	Relocation of passenger seat pressure sensor is required.
MITO	955	-20mm	S36	IAO1140S36R	IAO1140S36L	NPC002	Offset toward door side is 5 mm. Interferes with shoulder width exceeding 580 mm. Relocation of passenger seat pressure sensor is required.
RZ,SZ	-	-10mm	S1	IAO1150S01R	IAO1150S01L	-	
SPIDER	916	±0mm	S1	IAO1131S01R	IAO1131S01L	NPC003	Relocation of passenger seat pressure sensor is required.
SPIDER	93922S,93932S	-10mm	S6	IAO1111S06R	IAO1111S06L	NPC002	Offset toward door side is 10 mm. Relocation of passenger seat pressure sensor is required.

## AUTOBIANCHI

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
A112	-	-10mm	S6	IAU1010S06R	IAU1010S06L	-	'83~'85 Only digital clock cars can be installed. ~'82 It cannot be installed on analog clock cars. Hold the stay on the original-equipment slide rail and secure it.

## Ferrari

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
308 GT4	-	±0mm	S1	IFI1100S01R	IFI1100S01L	-	4 passengers.
308 GTB,GTS	F308	±0mm	S1	IFI1010S01R	IFI1010S01L	-	Only seat mounting width 390-400mm can be installed.
348	F348	±0mm	S1	IFI1030S01R	IFI1030S01L	-	Need to check mounting dimensions. Front and rear 448 mm,Left and right 344 mm.
348	F348	±0mm	S1	IFI1130S01R	IFI1130S01L	-	Need to check mounting dimensions. Front and rear 346 mm,Left and right 344 mm.
355	F355	±0mm	S1	IFI1120S01R	IFI1120S01L	-	
360	F360	-10mm	S1	IFI1041S01R	IFI1041S01L	-	
360	F360	-30mm	SSD	IFI1050SSDR	IFI1050SSDL	-	Offset toward door side is 15-20 mm.
360	F360	-30mm	SSD-V	IFI1110SSDVR	IFI1110SSDVL	-	Only seat mounting width 390-410mm can be installed.
430	F430	+10mm	S1	IFI1061S01R	IFI1061S01L	-	Offset toward door side is 15 mm. Seat drop is from Model Scuderia specifications.
458 ITALIA	F142	-10mm	S1	IFI1090S01R	IFI1090S01L	NPC001	Offset toward door side is 20 mm. specialty garage recommended for installation. Common to spider.
550	F550	+10mm	S1	IFI1070S01R	IFI1070S01L	-	Offset toward door side is 18 mm.
550	F575	+10mm	S1	IFI1071S01R	IFI1071S01L	-	Offset toward door side is 18 mm.
599	F599	-10mm	S1	IFI1060S01R	IFI1060S01L	-	Offset toward door side is 15 mm. Common to F430.
F8	F142CE	+25mm	S1	IFI1140S01R	IFI1140S01L	-	Offset toward door side is 9 mm. specialty garage recommended for installation. Common to Spider and Tribot.

## FIAT

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
131 ABARTH RALLY	-	±0mm	S1	IFT1120S01R	IFT1120S01L	-	
500	31209,31212,31214	-35mm	S36	IFT1080S36R	IFT1080S36L	NPC002	Relocation of passenger seat pressure sensor is required.
500	31209,31212,31214	-65mm	S6	IFT1090S06R	IFT1090S06L	NPC002	Superlow model. If a woofer box is mounted on floor, it must be relocated. Relocation of passenger seat pressure sensor is required.
500	31209,31212,31214	-60mm	LS9	IFT1090S09R	IFT1090S09L	NPC002	Superlow model. If a woofer box is mounted on floor, it must be relocated. Relocation of passenger seat pressure sensor is required.
BARCETTA	183A1	-10mm	S1	IFT1030S01R	IFT1030S01L	-	Relocation of passenger seat pressure sensor is required.
COUPE FIAT	175A	-10mm	S4	IFT1010S04R	IFT1010S04L	-	
DUCATO	-	-25mm	S36	IFT1130S36R	IFT1130S36L	-	3rd generation '06-'15 before M/C Fixed to genuine turntable (fixed width 398mm) Common to Manager(Peugeot).

DUCATO	-	-45mm	S6	IFT1140S06R	IFT1140S06L	-	3rd generation '06-'15 before M/C Superlow model. Fixed to genuine turntable (fixed width 398mm) Common to Manager(Peugeot).
DUCATO	-	-25mm	S36	IFT1101S36R	IFT1101S36L	-	3rd generation '06-'15 before M/C Fixed to genuine turntable (fixed width 410mm) Common to Manager(Peugeot).
DUCATO	-	-45mm	S6	IFT1111S06R	IFT1111S06L	-	3rd generation '06-'15 before M/C Superlow model. Fixed to genuine turntable (fixed width 410mm) Common to Manager(Peugeot).
DUCATO	-	-25mm	S36	IFT1100S36R	IFT1100S36L	-	3rd generation '16- After M/C Fixed to genuine turntable (fixed width 410mm) Common to Manager(Peugeot).
DUCATO	-	-45mm	S6	IFT1110S06R	IFT1110S06L	-	3rd generation '16- After M/C Superlow model. Fixed to genuine turntable (fixed width 410mm) Common to Manager(Peugeot).
DOBLO	K9FYH01	±0mm	S36	IFT1150S36R	IFT1150S36L	NPC002	Right-hand drive car.
DOBLO	K9FYH01	±0mm	S36	IFT1151S36R	IFT1151S36L	NPC002	Left-hand drive car.
GRANDE PUNTO	199	-10mm	S36	IFT1020S36R	IFT1020S36L	NPC002	Interferes with shoulder width exceeding 580 mm. Relocation of passenger seat pressure sensor is required.
NEW PANDA	16912	-25mm	S16	IFT1040S16R	IFT1040S16L	NPC001	
PANDA	13909	-35mm	S36	IFT1081S36R	IFT1081S36L	NPC002	Relocation of passenger seat pressure sensor is required.
PANDA	13909	-65mm	S6	IFT1091S06R	IFT1091S06L	NPC002	Superlow model. If a woofer box is mounted on floor, it must be relocated. Relocation of passenger seat pressure sensor is required.
PANDA	13909	-60mm	LS9	IFT1091S09R	IFT1091S09L	NPC002	Superlow model. If a woofer box is mounted on floor, it must be relocated. Relocation of passenger seat pressure sensor is required.
PUNTO	176AR5,176BV3	-20mm	S4	IFT1060S04R	IFT1060S04L	NPC003	Pretensioner cannot be installed.
PUNTO	188A1,188A5	-10mm	S1	IFT1050S01R	IFT1050S01L	NPC003	Common to 147(937AB).

## LAMBORGHINI

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
AVENTADOR	47L539	No data	S1	ILI1010S01R	ILI1010S01L	-	Error code is generated when the seat is installed or removed
COUNTACH	-	No data	S1	ILI1020S01R	ILI1020S01L	-	

GALLARDO	-	±0mm	S1	ILI1040S01R	ILI1040S01L	NPC003	Interferes with dial width exceeds 500 mm. Interferes with shoulder width exceeding 580 mm. All plastic parts of the console must be removed.
HURACAN	ZFCSJ	No data	S1	ILI1050S01R	ILI1050S01L	NPC001	No installation data * Please contact us

## LANCIA

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
DELTA INTEGRALE	L31	-15mm	S1	ILA1010S01R	ILA1010S01L	-	1-position offset seat rail.
MUSA	-	-10mm	S36	ILA1040S36R	ILA1040S36L	-	Interferes with shoulder width exceeding 560 mm.

## MASERATI

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
GHIBLI	E-MG	-15mm	S6	IMA1010S06R	IMA1010S06L	-	Offset toward door side is 6 mm. '92~'97
GRAN TURISMO	MMC,MGT	-20mm	S1	IMA1020S01R	IMA1020S01L	-	Sparco SPX is ± 0 mm.