The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat.

It is measured by mounting a Recaro Reclining seat.

— explanatory note —

Differences may arise due to the position of the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.

Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.

Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

MAZDA

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
AXELA	BK5P,BKEP,BK3P	-20mm	B4	DMA1120B04F	DMA1120B04L	NPC001	
AXELA	BL,BLE,BL5	-20mm	B16		DMA1130B16L	NPC001	
AXELA	BM,BY	-15mm	В6	DMA1140B06F	DMA1140B06L	NPC002	Offset toward door side is 10 mm.
ATENZA	GG3S,GGES	-20mm	B4	DMA1150B04F	DMA1150B04L	NPC001	
ATENZA SPORT WAGON	GY3W,GYEW	-20mm	B4	DMA1151B04F	DMA1151B04L	-	
ATENZA	GH	-10mm	B4	DMA1160B04F	DMA1160B04L	NPC001	4WD/GH5A to be determined.Offset toward door side is 7 mm.
ATENZA	GJ	-15mm	В6	DMA1170B06F	DMA1170B06L	NPC002	
AZ OFFROAD	JM23W	-20mm	B1	DMA1650B01F	DMA1650B01L	-	Common to JIMNY,JIMNY SIERRA(JB23W,JB33W,JB43W)
AZ WAGON	MD11S,MD21S	-20mm	B4	DMA1690B04R	DMA1690B04L	-	Common to WAGON-R(MC11S,MC21S)
AZ WAGON	MJ21S,MJ22S	-20mm	B16	DMA1700B16F	DMA1700B16L	-	Excludes MT vehicles. Common to WAGON-R(MH21S,MH22S)
AZ WAGON	MJ21S,MJ22S	-30mm	В4	DMA1710B04F	DMA1710B04L	-	MT car only Common to WAGON-R(MH21S,MH22S)
AZ WAGON	MJ23S	-20mm	B16	DMA1720B16F	DMA1720B16L	NPC001	Common to WAGON-R(MH23S)
AZ3	EC5SA,ECPSA	-20mm	B1	DMA1350B01F	DMA1350B01L	-	AM19 requires a 20mm spacer with or without electric function.
BIANTE	CCEFW.CCEAW	-25mm	B16	DMA1310B16F	DMA1310B16L	NPC001	
CAPELLA	CG	-15mm	B1	DMA1180B01F	DMA1180B01L	-	2WD
CAPELLA	CG	-15mm	B1	DMA1730B01F	DMA1180B01L	-	4WD
CAPELLA WAGON	GV,GD	-15mm	B4	DMA1190B04F	DMA1190B04L	-	2WD
CAPELLA WAGON	GF,GW	-15mm	B4	DMA1200B04F	DMA1200B04L	NPC001	2WD
CAPELLA WAGON	GV,GD	-15mm	B4	DMA1210B04F	DMA1210B04L	-	4WD
CAPELLA WAGON	GF,GW	-15mm	B4	DMA1220B04F	DMA1220B04L	NPC001	4WD
CAROL	HB25S,HB25V	-20mm	В6	DMA1560B06F	DMA1560B06L	-	Be aware of possible interference with the door-side dial. Common to ALTO(HA25S,HA25V).
CAROL	HB36S	-30mm	B6	DMA1230B06R	DMA1230B06L	NPC001	Offset toward door side is 7 mm. Interferes with shoulder width exceeding 540 mm. Numerical value is from Model ALTO(HA36S,HA36V) specifications. Common to ALTO(HA36S,HA36V).
CAROL	HB36S	-65mm	В1	DMA1600B01F	DMA1600B01L	NPC001	Superlow model. Offset toward door side is 7 mm. Interferes with shoulder width exceeding 540 mm. Numerical value is from Model ALTO(HA36S,HA36V) specifications. Common to ALTO(HA36S,HA36V).

CX-3	DK5FW,AW	-20mm	B6	DMA1291B06R	DMA1291B06L	NPC002	Offset toward door side is 5 mm.
CX-3	DK5FW,AW	-20mm	LB9		DMA1291B09L	NPC002	Shace condition and the state of the state o
CX-5	KEEP,KE2	-20mm	B36		DMA1020B36L		
CX-5	KF5P,KF2P	-20mm	B36		DMA1021B36L	NPC002	
CX-7	ER3P	-20mm	B16		DMA1021B30E		Common to 2WD,4WD.
CX-8	KG2P,KG5P	-20mm	B36		DMA1570B36L	NPC002	Common to 2410, 1110.
CX-8	KG2P,KG5P	-20mm	LB9		DMA1570B09L		
CX-0	NGZF ,NGSF	-2011111	LD3	DIMATS/0009N	DMA1370009E	INF COUZ	
							Common to 2WD,4WD.
CX-30	DM8P,DMFP,DMEP,DMEJ3P	-20mm	В6	DMA1580B06R	DMA1580B06L	NPC001	Offset toward door side is 10 mm.
							Electronic devices need to be relocated.
				DMA1580B09R	DMA1580B09L	NPC001	Common to 2WD,4WD.
CX-30	DM8P,DMFP,DMEP,DMEJ3P	-20mm	LB9				Offset toward door side is 5 mm.
							Electronic devices need to be relocated.
							~'99/11
DEMIO	DW3W,DW5W	-20mm	B1	DMA1250B01R	DMA1250B01L	-	Note body number (for 100000,200000,300000 series).
							, , , , , ,
	DW3W,DW5W	-20mm	B4	DMA1260B04R	DMA1260B04L	-	′99/12~
DEMIO							Note body number(500000 series).
DEMIC VEDICA	DV3W DV5W	20	D.4	DMA 4 270B0 4B	DM442700041	NDCOOL	, , ,
DEMIO,VERISA	DY3W,DY5W	-20mm	B4	DMA1270B04R	DMA1270B04L	NPC001	
DEMIO	DE3,DE5FS	-20mm	B4	DMA1280B04F	R DMA1280B04L	NPC001	Offset toward door side is 10 mm.
							Interferes with shoulder width exceeding 570 mm.
							Compatibility with 4WD/DE3AS(1.3L) unknown.
DEMIO	DJ3,DJ5,DJL	-20mm	B6	DMA1290B06R	DMA1290B06L	NPC002	Offset toward door side is 5 mm.
DEMIO	DJ3,DJ5,DJL	-20mm	LB9		DMA1290B09L	NPC002	
EUNOS 800	TA3,TA5	-10mm	B1		DMA1440B01L	-	AM19 requires a 20mm spacer with or without electric function.
FAMILIA	BG#S,BG#P	-20mm	B1	DMA1351B01R	DMA1351B01L	_	2WD
						 	AM19 requires a 20mm spacer with or without electric function.
FAMILIA	BH	-10mm	B1	DMA1320B01R	DMA1320B01L	-	Not confirmed except 1.3L and 1.5L. Common to FAMILIA NEO.
FAMILIA	ВЈ	-15mm	B4	DMA1330B04R	DMA1330B04L	NPC001	2WD
FAMILIA	ВЈ	-15mm	B4	DMA1340B04R	DMA1330B04L	NPC001	4WD Common to S-WAGON
FAMILIA WAGON	Y10	-10mm	B1	DMA1360B01R	DMA1360B01L	-	2WD
FAMILIA WAGON	Y11,NY11	-10mm	B1	DMA1370B01R	DMA1370B01L	-	
FAMILIA VAN	Y12,NY12	-10mm	B16	DMA1680B16R	DMA1680B16L	-	Offset toward door side is 7 mm.
LANTIS	СВ	-10mm	B1	DMA1321B01R	DMA1321B01L	-	Not confirmed except 1.5L,2.0L.
LUCE	HC	No data	В6		DMA1460B06L	-	
MPV	LVLW,LVLE,LVLR	-10mm	B1	DMA1050B01R	DMA1051B01L	-	AM19 requires a 20mm spacer with or without electric function.
MPV	LW	-20mm	B4	DMA1040B04R	DMA1040B04L	NPC001	
MPV	LY3P	-10mm	B16	DMA1060B16R	DMA1060B16L	NPC001	Common to 2WD,4WD. Passenger side table not compatible. Designed exclusively for Model xx specification.
		<u> </u>				<u></u>	Designed exclusively for Proder as specification.

MX-30	DREJ3P	-20mm	В6	DMA1590B06R	R DMA1590B06L	NPC001	Common to 2WD,4WD. Offset toward door side is 10 mm. Electronic devices need to be relocated.
MX-30	DREJ3P	-20mm	LB9	DMA1590B09R	DMA1590B09L	NPC001	Common to 2WD,4WD. Offset toward door side is 5 mm. Electronic devices need to be relocated.
FLAIR	MJ34S,MJ44S	-20mm	B36	DMA1380B36F	DMA1380B36L	NPC001	Common to WAGON R(MH34S,MH44S),MR WAGON(MF33S), SPACIA(MK32S,MK42S),MOCO(MG33S)共通
FLAIR	MJ55S	-30mm	B36	DMA1610B36F	DMA1610B36L	NPC001	Offset toward door side is 6 mm. Common to WAGON R(MH35S,MH55S), X-BEE(MN71S)共通
FLAIR WAGON	MM53S	-30mm	B36	DMA1630B36F	DMA1630B36L	NPC001	Offset toward door side is 6 mm. Common to WAGON R(MH35S,MH55S), X-BEE(MN71S)共通
FLAIR CROSSOVER	MS52S,MS92S	-30mm	B36	DMA1640B36F	DMA1640B36L	NPC001	Offset toward door side is 6 mm. Common to WAGON R(MH35S,MH55S), X-BEE(MN71S)共通
PREMACY	UA-CP8W,CPEW	-15mm	B4	DMA1410B04R	DMA1410B04L	NPC001	2WD. Common to IXION(CP8WF).
PREMACY	TA-CP8W	-15mm	B4	DMA1420B04F	DMA1420B04L	NPC001	4WD. Common to IXION(CP8WF).
PREMACY	CREW,CR3W	-20mm	B16	DMA1390B36F	DMA1390B36L	NPC001	Offset toward door side is 5 mm. Cannot be attached to passenger seat cup holder (table).
PREMACY	CWEFW,CWEAW	-20mm	B36	DMA1391B36F	R DMA1391B36L	NPC001	Offset toward door side is 5 mm. Cannot be attached to passenger seat cup holder (table).
PROCEED	UF66M	-15mm	B4		DMA1430B04L	-	
PROCEED	UVL6,UV56,UV66	-15mm	B4	DMA1431B04F	DMA1431B04L	-	Common to Marby.
ROADSTER	NA6CE	-10mm	B1	DMA1470B01F	DMA1470B01L	-	Offset toward door side is 20 mm. Cannot be installed if dial width exceeds 525 mm. Seats with a convex bottom (such as AM19) are not compatible. The seat belt anchor is fixed to the floor.
ROADSTER	NA6CE	±Omm	B1	DMA1620B01R	DMA1620B01L	-	Offset toward door side is 20 mm. Cannot be installed if dial width exceeds 525 mm. AM19 installation only. The seat belt anchor is fixed to the floor.
ROADSTER	NA8C,NB6C,NB8C	-10mm	B1	DMA1480B01F	DMA1480B01L	-	Offset toward door side is 20 mm. Cannot be installed if dial width exceeds 525 mm. Seats with a convex bottom (such as AM19) are not compatible.

ROADSTER	NA8C,NB6C,NB8C	±Omm	B1	DMA1500B01R	DMA1500B01L		Offset toward door side is 20 mm. Cannot be installed if dial width exceeds 525 mm. AM19 installation only.
ROADSTER	NCEC	-15mm	B1	DMA1520B01R	DMA1520B01L	NPC001	Offset toward door side is 5 mm. AM19 requires a 20mm spacer with or without electric function.
ROADSTER	NCEC	-20mm	В1	DMA1530B01R	DMA1530B01L	-	Low-down rail for original-equipment seats, height adjustment function seat and dealer option seats are not compatible.
ROADSTER	ND5RC,ND5RE NDERC,NDERE	-10mm	B1	DMA1540B01R	DMA1540B01L		Offset toward door side is 10 mm. Cannot be installed if dial width exceeds 500 mm. AM19 cannot be installed.
RX-7	FD3S	±Omm	B1	DMA1070B01R	DMA1070B01L	-	Seat is offset 5 mm to console side. When installing the IS24 Recaro seat, the belt stays and bolts and nuts will interfere with the seat. AM19 cannot be installed.
RX-8	SE3P	-15mm	B1	DMA1100B01R	-	NPC001	
RX-8	SE3P	-25mm	B1	-	DMA1100B01L	NPC001	
TRIBUTE	EPFW,EPFWF	-10mm	B4	DMA1300B04R	DMA1300B04L	NPC001	Common to ESCAPE.
VERISA	DC5W,DC5R	-20mm	В4	DMA1271B04R	DMA1271B04L	NPC001	