

— explanatory note —

The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat. It is measured by mounting a Recaro or Bride full bucket seat at the lowest position possible without the seat bottom interfering with the seat rail or vehicle floor. Differences may arise due to the position of the seat to be mounted (the position of the bolt holes), the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.

Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.

Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

MAZDA

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
ATENZA	GG3S,GGES	-20mm	S4	DMA1150S04R	DMA1150S04L	NPC001	
ATENZA SPORT WAGON	GY3W,GYEW	-20mm	S4	DMA1151S04R	DMA1151S04L		
ATENZA	GH	-10mm	S4	DMA1160S04R	DMA1160S04L	NPC001	4WD/GH5A to be determined.Offset toward door side is 7 mm.
ATENZA	GJ	-15mm	S6	DMA1170S06R	DMA1170S06L	NPC002	
AXELA	BK5P,BKEP,BK3P	-20mm	S4	DMA1120S04R	DMA1120S04L	NPC001	
AXELA	BL,BLE,BL5	-20mm	S16	DMA1130S16R	DMA1130S16L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
AXELA	BM,BY	-15mm	S6	DMA1140S06R	DMA1140S06L	NPC002	Offset toward door side is 10 mm.
AZ OFFROAD	JM23W	-20mm	S1	DMA1650S01R	DMA1650S01L	-	Common to JIMNY,JIMNY SIERRA(JB23W,JB33W,JB43W)
AZ WAGON	MD11S,MD21S	-20mm	S4	DMA1690S04R	DMA1690S04L	-	Common to WAGON-R(MC11S,MC21S)
AZ WAGON	MJ21S,MJ22S	-20mm	S16	DMA1700S16R	DMA1700S16L	-	Excludes MT vehicles. Common to WAGON-R(MH21S,MH22S)
AZ WAGON	MJ21S,MJ22S	-30mm	S4	DMA1710S04R	DMA1710S04L	-	MT car only Common to WAGON-R(MH21S,MH22S)
AZ WAGON	MJ23S	-20mm	S16	DMA1720S16R	DMA1720S16L	NPC001	Common to WAGON-R(MH23S)
AZ3	EC5SA,ECPSA	-20mm	S1	DMA1350S01R	DMA1350S01L	-	
BIANTE	CCEFW.CCEAW	-25mm	S16	DMA1310S16R	DMA1310S16L	NPC001	
CAPELLA	CG	-15mm	S1	DMA1180S01R	DMA1180S01L	-	Common to 2WD,4WD.
CAPELLA WAGON	GV,GD	-15mm	S4	DMA1190S04R	DMA1190S04L	-	2WD
CAPELLA WAGON	GF,GW	-15mm	S4	DMA1200S04R	DMA1200S04L	NPC001	2WD
CAPELLA WAGON	GV,GD	-15mm	S4	DMA1210S04R	DMA1210S04L	-	4WD
CAPELLA WAGON	GF,GW	-15mm	S4	DMA1220S04R	DMA1220S04L	NPC001	4WD
CAROL	HB25S,HB25V	-20mm	S6	DMA1560S06R	DMA1560S06L	-	Common to ALTO(HA25S,HA25V).
CAROL	HB36S	-30mm	S6	DMA1230S06R	DMA1230S06L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Offset toward door side is 7 mm. Interferes with shoulder width exceeding 540 mm. Numerical value is from Model ALTO(HA36S,HA36V) specifications. Common to ALTO(HA36S,HA36V).

CAROL	HB36S	-65mm	S1	DMA1600S01R	DMA1600S01L	NPC001	Superlow model. Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Offset toward door side is 7 mm. Interferes with shoulder width exceeding 540 mm. Numerical value is from Model ALTO(HA36S,HA36V) specifications. Common to ALTO(HA36S,HA36V).
CX-3	DK5FW,AW	-20mm	S6	DMA1291S06R	DMA1291S06L	NPC002	Offset toward door side is 5 mm.
CX-3	DK5FW,AW	-20mm	LS9	DMA1291S09R	DMA1291S09L	NPC002	
CX-5	KEEP,KE2	-20mm	S36	DMA1020S36R	DMA1020S36L	NPC002	
CX-5	KF5P,KF2P	-20mm	S36	DMA1021S36R	DMA1021S36L	NPC002	
CX-7	ER3P	-20mm	S16	DMA1030S16R	DMA1030S16L	NPC001	Common to 2WD,4WD.
CX-8	KG2P,KG5P	-20mm	S36	DMA1570S36R	DMA1570S36L	NPC002	
CX-8	KG2P,KG5P	-20mm	LS9	DMA1570S09R	DMA1570S09L	NPC002	
CX-30	DM8P,DMEP,DMFP	-20mm	S6	DMA1580S06R	DMA1580S06L	NPC001	Common to 2WD,4WD. Offset toward door side is 10 mm. Relocation of passenger seat pressure sensor is required. With position memory and Heater unit.(unconfirmed impact on device.)
CX-30	DM8P,DMEP,DMFP	-20mm	LS9	DMA1580S09R	DMA1580S09L	NPC001	Common to 2WD,4WD. Offset toward door side is 5 mm. Relocation of passenger seat pressure sensor is required. With position memory and Heater unit.(unconfirmed impact on device.)
DEMIO	DW3W,DW5W	-20mm	S1	DMA1250S01R	DMA1250S01L	-	~'99/11 Note body number (for 100000,200000,300000 series).
DEMIO	DW3W,DW5W	-20mm	S4	DMA1260S04R	DMA1260S04L	-	'99/12~ Note body number(500000 series).
DEMIO,VERISA	DY3W,DY5W	-20mm	S4	DMA1270S04R	DMA1270S04L	NPC001	
DEMIO	DE3,DE5FS	-20mm	S4	DMA1280S04R	DMA1280S04L	NPC001	Offset toward door side is 10 mm. Interferes with shoulder width exceeding 570 mm. Compatibility with 4WD/DE3AS(1.3L) unknown.
DEMIO	DJ3,DJ5,DJL	-20mm	S6	DMA1290S06R	DMA1290S06L	NPC002	Offset toward door side is 5 mm.
DEMIO	DJ3,DJ5,DJL	-20mm	LS9	DMA1290S09R	DMA1290S09L	NPC002	
EUNOS 800	TA3,TA5	-10mm	S1	DMA1440S01R	DMA1440S01L	-	
FAMILIA	BG	-20mm	S1	DMA1351S01R	DMA1351S01L	-	
FAMILIA	BH	-10mm	S1	DMA1320S01R	DMA1320S01L	-	Not confirmed except 1.3L and 1.5L. Common to FAMILIA NEO.
FAMILIA	BJ	-15mm	S4	DMA1330S04R	DMA1330S04L	NPC001	2WD
FAMILIA	BJ	-15mm	S4	DMA1340S04R	DMA1330S04L	NPC001	4WD Common to S-WAGON
FAMILIA WAGON	Y10	-10mm	S1	DMA1360S01R	DMA1360S01L	-	2WD
FAMILIA WAGON	Y11,NY11	-10mm	S1	DMA1370S01R	DMA1370S01L	-	
FAMILIA VAN	Y12,NY12	-10mm	S16	DMA1680S16R	DMA1680S16L	-	Offset toward door side is 7 mm.
FLAIR	MJ34S,MJ44S	-20mm	S36	DMA1380S36R	DMA1380S36L	NPC001	Common to WAGON-R(MH34S,MH44S),MR-

FLAIR	MJ55S	-30mm	S36	DMA1610S36R	DMA1610S36L	NPC001	Offset toward door side is 6 mm. Common to WAGON-R(MH35S,MH55S),XBEE(MN71S)
FLAIR WAGON	MM53S	-30mm	S36	DMA1630S36R	DMA1630S36L	NPC001	Offset toward door side is 6 mm. Common to WAGON-R(MH35S,MH55S),XBEE(MN71S)
FLAIR CROSSOVER	MS52S,MS92S	-30mm	S36	DMA1640S36R	DMA1640S36L	NPC001	Offset toward door side is 6 mm. Common to WAGON-R(MH35S,MH55S),XBEE(MN71S)
LANTIS	CB	-10mm	S1	DMA1321S01R	DMA1321S01L	-	Not confirmed except 1.5L,2.0L.
LANTIS	HC	No data	S6	DMA1460S06R	DMA1460S06L	-	
MPV	LVLW,LVLE,LVLR	-10mm	S1	DMA1050S01R	DMA1051S01L	-	
MPV	LW	-20mm	S4	DMA1040S04R	DMA1040S04L	NPC001	
MPV	LY3P	-10mm	S16	DMA1060S16R	DMA1060S16L	NPC001	Common to 2WD,4WD. Passenger side table not compatible. Designed exclusively for Model xx specification.
MX-30	DREJ3P	-20mm	S6	DMA1590S06R	DMA1590S06L	NPC001	Common to 2WD,4WD. Offset toward door side is 10 mm. Relocation of passenger seat pressure sensor is required. With position memory and Heater unit.(unconfirmed impact on device.)
MX-30	DREJ3P	-20mm	LS9	DMA1590S09R	DMA1590S09L	NPC001	Common to 2WD,4WD. Offset toward door side is 5 mm. Relocation of passenger seat pressure sensor is required. With position memory and Heater unit.(unconfirmed impact on device.)
PREMACY	UA-CP8W,CPEW	-15mm	S4	DMA1410S04R	DMA1410S04L	NPC001	2WD. Common to IXION(CP8WF).
PREMACY	TA-CP8W	-15mm	S4	DMA1420S04R	DMA1420S04L	NPC001	4WD. Common to IXION(CP8WF).
PREMACY	CREW,CR3W	-20mm	S36	DMA1390S36R	DMA1390S36L	NPC001	Offset toward door side is 5 mm.
PREMACY	CWEFW,CWEAW	-20mm	S36	DMA1391S36R	DMA1391S36L	NPC001	Offset toward door side is 5 mm.
PROCEED	UF66M	-15mm	S4	DMA1430S04R	DMA1430S04L	-	
PROCEED	UVL6,UV56,UV66	-15mm	S4	DMA1431S04R	DMA1431S04L	-	Common to Marby.
ROADSTER	NA6CE	-10mm	S1	DMA1470S01R	DMA1470S01L	-	The seat belt anchor is fixed to the floor.
ROADSTER	NA8C,NB6C,NB8C	-10mm	S1	DMA1480S01R	DMA1480S01L	-	
ROADSTER	NA6CE,NA8C NB6C,NB8C	-40mm	SSD-V	DMA149SSDVR	-	-	
ROADSTER	NCEC	-15mm	S1	DMA1520S01R	DMA1520S01L	NPC001	Offset toward door side is 5 mm.
ROADSTER	NCEC	-30mm	SSD	DMA1510SSDR	DMA1510SSDL	NPC001	The shape of the slide lever is the same as S1.
ROADSTER	ND5RC	-10mm	S1	DMA1540S01R	DMA1540S01L	NPC001	Offset toward door side is 15 mm.
ROADSTER	ND5RC	-50mm	SSD-V	DMA1550SSDVR	DMA1550SSDVL	NPC001	Offset toward door side is 15 mm. Due to the narrow space when operating the slide lever on the driver's seat center console side (especially when sliding forward) Be careful not to pinch your fingers or hands. Interferes with shoulder width exceeding 530 mm.
RX-7	FD3S	-20mm	SSD	DMA1080SSDR	DMA1080SSDL	-	
RX-8	SE3P	-15mm	S1	DMA1100S01R	-	NPC001	

RX-8	SE3P	-25mm	S1	-	DMA1100S01L	NPC001	
RX-8	SE3P	-30mm	SSD	DMA1110SSDR	-	NPC001	
TRIBUTE	EPFW,EPFWF	-10mm	S4	DMA1300S04R	DMA1300S04L	NPC001	Common to ESCAPE.
VERISA	DC5W,DC5R	-20mm	S4	DMA1271S04R	DMA1271S04L	NPC001	