

The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat.

It is measured by mounting a Recaro Reclining seat.

— explanatory note — Differences may arise due to the position of the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.

Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.

Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

## NISSAN

| Model Name          | Model Code | Seat Drop | Type | Right Part No. | Left Part No. | Side SRS | Remarks  |
|---------------------|------------|-----------|------|----------------|---------------|----------|--|
| AD VAN              | Y10        | -10mm     | B1   | DNN1131B01R    | DNN1131B01L   | -        | 2WD  |
| AD VAN              | NY10       | -10mm     | B1   | DNN1141B01R    | DNN1141B01L   | -        | 4WD  |
| AD VAN              | Y11,NY11   | -10mm     | B4   | DNN1151B04R    | DNN1151B04L   | -        |  |
| AD VAN,AD EXPERT    | Y12,NY12   | -10mm     | B16  | DNN1161B16R    | DNN1161B16L   | -        | Offset toward door side is 7 mm. It is common to 2WD and 4WD.  |
| ATLAS               | H42        | +10mm     | B1   | DNN2170B01R    | -             | -        | Mounting dimensions required.<br>The seat belt anchor is fixed to the floor.<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed. |
| ATLAS               | F23        | +20~30mm  | B1   | DNN2360B01R    | -             | -        | Mounting dimensions required.<br>The seat belt anchor is fixed to the floor.<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed. |
| ATLAS               | TZ2F24     | No data   | B4   | DNN2460B04R    | -             | -        | Mounting dimensions required.  |
| AVENIR              | W10        | -10mm     | B1   | DNN1100B01R    | DNN1100B01L   | -        | 2WD  |
| AVENIR,EXPERT       | W11        | -10mm     | B1   | DNN1110B01R    | DNN1110B01L   | NPC001   | 2WD  |
| AVENIR,EXPERT       | NW11       | -10mm     | B1   | DNN1120B01R    | DNN1120B01L   | NPC001   | 4WD  |
| BASSARA             | NU30,U30   | -20mm     | B4   | DNN2142B04R    | DNN2142B04L   | NPC001   |  |
| BLUEBIRD            | U14        | -10mm     | B1   | DNN1910B01R    | DNN1910B01L   | -        | 2WD  |
| BLUEBIRD            | NU14       | -10mm     | B1   | DNN1920B01R    | DNN1920B01L   | NPC001   | 4WD  |
| BLUEBIRD SYLPHY     | G10        | -25mm     | B1   | DNN1930B01R    | DNN1930B01L   | NPC001   | It cannot be installed on 4WD / NG10.  |
| BLUEBIRD SYLPHY     | G11,NG11   | -15mm     | B16  | DNN1940B16R    | DNN1940B16L   | -        | Offset toward door side is 15 mm.  |
| CARAVAN             | E25        | ±0mm      | B1   | DNN1230B01R    | DNN1230B01L   | -        |  |
| NV350 CARAVAN       | E26        | +15mm     | B1   | DNN1070B01R    | -             | -        | Passenger seat is unconfirmed.<br>AM19 cannot be installed.  |
| NV350 CARAVAN       | E26        | +15mm     | B1   | DNN1071B01R    | -             | -        | Passenger seat is unconfirmed.<br>An article for exclusive use of the AM19 wearing.  |
| CEDRIC,GLORIA       | Y33        | -10mm     | B4   | DNN1521B04R    | DNN1521B04L   | NPC001   |  |
| CEDRIC,GLORIA       | Y34        | -20mm     | B4   | DNN1530B04R    | DNN1530B04L   | NPC001   | 2WD  |
| CEFIRO              | A31        | -10mm     | B1   | DNN1540B01R    | DNN1540B01L   | -        |  |
| CEFIRO,CEFIRO WAGON | A32        | -20mm     | B4   | DNN1550B04R    | DNN1550B04L   | NPC001   |  |
| CEFIRO              | A33        | -20mm     | B4   | DNN1560B04R    | DNN1560B04L   | NPC001   |  |

|                       |                                   |       |      |             |             |        |   |
|-----------------------|-----------------------------------|-------|------|-------------|-------------|--------|---|
| CHERRY                | E10                               | -30mm | B1   | DNN2350B01R | DNN2350B01L | -      | Belt anchor floor fixing type.<br>AM19 requires a 20mm spacer with or without electric function.  |
| CIMA                  | Y33                               | -10mm | B4   | DNN1520B04R | DNN1520B04L | NPC001 |   |
| CIMA                  | GNF50                             | ±0mm  | B4   | DNN1330B04R | -           | NPC001 | 4WD   |
| CIMA                  | GF50,HF50                         | ±0mm  | B4   | DNN1340B04R | -           | NPC001 | 2WD   |
| CIVILIAN              | W40,41                            | +20mm | B1   | DNN1370B01R | -           | -      | 1988.5~1999.1<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed.   |
| CIVILIAN              | W40,41                            | +30mm | B1   | -           | DNN1360B01L | -      | 1988.5~1999.1<br>Fixed on left side wall (front and rear pitch about 305 mm).<br>Offset toward console is 30 mm.<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed.  |
| CIVILIAN              | W40,41                            | +30mm | B1   | -           | DNN1350B01L | -      | Fixed to engine cover Details such as year are unknown.   |
| CLIPPER               | U71V,U72V                         | ±0mm  | B1   | DNN2140B01R | -           | -      | Offset toward door side is 15 mm.<br>Common to TOWN BOX(U61W,U62W),MINICAB(U61V,U62V).<br>When installing the IS24 Recaro seat, the belt stays and bolts and nuts will interfere with the seat.<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed. |
| CUBE                  | Z10                               | -20mm | B4   | DNN1240B04R | DNN1240B04L | -      | 2WD   |
| CUBE                  | Z11                               | -15mm | B36  | DNN1250B36R | DNN1250B36L | NPC001 | 2WD   |
| CUBE                  | Z12,NZ12                          | -20mm | B16  | DNN1260B16R | DNN1260B16L | -      | It is common to 2WD and 4WD.  |
| DATSUN TRUCK          | D20,D21                           | -20mm | B4   | DNN1691B04R | DNN1691B04L | -      |   |
| DATSUN TRUCK          | D22                               | -15mm | B1   | DNN1590B01R | DNN1590B01L | -      |   |
| DATSUN TRUCK(SQUARE H | 720                               | -20mm | B4   | DNN1600B04R | DNN1600B04L | -      | The seat belt anchor is fixed to the floor.   |
| DAYZ                  | B21W                              | -20mm | B6   | DNN1650B06R | DNN1650B06L | -      | It is common to 2WD and 4WD.  |
| DAYZ                  | B43W,B44W, B45W<br>B46W,B47W,B48W | -20mm | B36  | DNN2310B36R | DNN2310B36L | NPC001 | There is interference when the dial width is 510 mm or more.<br>It is common to 2WD and 4WD.<br>Common to 2WD,4WD and EK WAGON(B3#W).   |
| DAYZ                  | B43W,B44W, B45W<br>B46W,B47W,B48W | -20mm | LB25 | DNN2310B25R | DNN2310B25L | NPC001 | Offset toward door side is 7 mm.<br>There is interference when the dial width is 510 mm or more.<br>It is common to 2WD and 4WD.<br>Common to 2WD,4WD and EK WAGON(B3#W).   |
| DAYZ ROOX             | B21A                              | -20mm | B36  | DNN1660B36R | DNN1660B36L | NPC001 |   |
| DUALIS                | J10,NJ10                          | -20mm | B16  | DNN1670B16R | DNN1670B16L | NPC001 | It is common to 2WD and 4WD. Offset toward door side is 8 mm.   |
| ELGRAND               | E50                               | -10mm | B16  | DNN1190B16R | DNN1190B16L | -      |   |
| ELGRAND               | E51,NE51                          | -20mm | B16  | DNN1200B16R | DNN1200B16L | -      | ~'04/8 Before M/C. It is common to 2WD and 4WD.   |
| ELGRAND               | E51,NE51                          | -20mm | B16  | DNN1210B16R | DNN1210B16L | -      | '04/9~ After M/C. It is common to 2WD and 4WD.  |
| ELGRAND               | E52                               | -30mm | B36  | DNN1220B36R | DNN1220B36L | NPC001 | Offset toward door side is 5 mm.  |
| ELGRAND               | E52                               | -30mm | LB25 | DNN1220B25R | DNN1220B25L | NPC001 | Offset toward door side is 5 mm.  |

|            |            |         |     |             |             |        |  |
|------------|------------|---------|-----|-------------|-------------|--------|--|
| FAIRLADY   | SR311      | No data | B1  | DNN1790B01R | DNN1790B01L | -      | The recliner dial needs to be removed.<br>LC-VF barely clears the shoulder.  |
| FAIRLADY Z | S30        | No data | B1  | DNN1810B01R | DNN1810B01L | -      | Vertically fixed to the floor both front and rear, and fixed with nuts from inside the fixing part.<br>AM19 requires a 20mm spacer with or without electric function.  |
| FAIRLADY Z | S30,GS30   | +10mm   | B4  | DNN1800B04R | DNN1800B04L | -      | Fix it at an angle to the floor both front and rear and bolt it to the floor.<br>AM19 requires a 20mm spacer with or without electric function.  |
| FAIRLADY Z | Z31        | -20mm   | B1  | DNN1820B01R | DNN1820B01L | -      |  |
| FAIRLADY Z | Z32        | ±0mm    | B4  | DNN1830B04R | DNN1830B04L | -      |  |
| FAIRLADY Z | Z33        | -20mm   | B1  | DNN1840B01R | DNN1840B01L | NPC001 | Offset toward door side is 13 mm.<br>Vehicles with active seats require a canceller (NPC001×1 pcs).  |
| FAIRLADY Z | Z34,RZ34   | ±0mm    | B4  | DNN1850B04R | DNN1850B04L | NPC001 | For seats with a convex bottom, watch for interference at the rearmost part of the seat bottom.<br>Offset toward door side is 5 mm.<br>Interferes with shoulder width exceeding 570 mm.  |
| FAIRLADY Z | Z34,RZ34   | -25mm   | B1  | DNN2290B01R | DNN2290B01L | NPC001 | Superlow model.<br>For seats with a convex bottom, watch for interference at the rearmost part of the seat bottom.<br>Offset toward door side is 15 mm.<br>Interferes with shoulder width exceeding 560 mm.                                    |
| FUGA       | Y50        | -10mm   | B4  | DNN1770B04R | DNN1770B04L | NPC001 | Electronic devices need to be relocated.<br>4WD / NY50 is unconfirmed.   |
| FUGA       | KY51,KNY51 | -10mm   | B6  | DNN1780B06R | DNN1780B06L | NPC001 | Offset toward door side is 7 mm.<br>hybrid/HY51 is unconfirmed.  |
| GTR        | R35        | +15mm   | B1  | DNN1040B01R | DNN1040B01L | NPC001 | Offset toward door side is 15 mm.<br>Interferes with shoulder width exceeding 580 mm.  |
| GTR        | R35        | -10mm   | B1  | -           | DNN1010B01L | NPC001 | For left seat. Superlow model.   |
| GTR        | R35        | -10mm   | B1  | DNN1020B01R | -           | NPC001 | For right seat. Superlow model.<br>Interferes with shoulder width exceeding 580 mm.<br>Offset toward door side is 15 mm.<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed. |
| IKIS       | H59A       | -15mm   | B4  | DNN2360B04R | DNN2360B04L | -      | Common to PAJERO MINI(H53,H58).  |
| JUKE       | F15,YF15   | ±0mm    | B36 | DNN2330B36R | DNN2330B36L | NPC001 | Offset toward door side is 5 mm.<br>4WD / NF15 is unconfirmed.   |

|                |                       |       |     |             |             |        |   |
|----------------|-----------------------|-------|-----|-------------|-------------|--------|---|
| KIKS           | P15                   | -20mm | B6  | DNN2300B06R | DNN2300B06L | NPC002 | Offset toward door side is 10 mm.   |
| KIKS           | P15                   | -20mm | LB9 | DNN2300B09R | DNN2300B09L | NPC002 |   |
| LAFESTA        | B30,NB30              | -20mm | B4  | DNN2060B04R | DNN2060B04L | NPC001 |   |
| LAFESTA        | CWEFWN,CWEAWN         | -20mm | B36 | DNN2390B36R | DNN2390B36L | NPC001 | Offset toward door side is 5 mm.<br>Cannot be attached to passenger seat cup holder (table).  |
| LAUREL         | C33                   | -10mm | B1  | DNN2120B01R | DNN2120B01L | -      | 2WD   |
| LAUREL         | C34                   | -10mm | B1  | DNN2110B01R | DNN2110B01L | -      | 2WD   |
| LAUREL         | C35                   | -10mm | B4  | DNN2100B04R | DNN2100B04L | NPC001 | 2WD   |
| LAUREL         | C35                   | -25mm | B1  | DNN2340B01R | DNN2340B01L | NPC001 | 2WD Superlow model.   |
| LEAF           | ZE0                   | -10mm | B6  | DNN2070B06R | DNN2070B06L | NPC001 |   |
| LEAF           | ZE1                   | -10mm | B6  | DNN2160B06R | DNN2160B06L | NPC002 |   |
| LIBERTY        | NM12,M12              | -20mm | B4  | DNN2080B04R | DNN2080B04L | NPC001 |   |
| LEOPARD        | Y33                   | -10mm | B4  | DNN1522B04R | DNN1522B04L | NPC001 |   |
| MARCH          | K11                   | -10mm | B4  | DNN1970B04R | DNN1970B04L | -      | 2WD   |
| MARCH          | K11                   | -60mm | B1  | DNN2550B01R | DNN2550B01L | -      | 2WD Superlow model. Interferes with shoulder width exceeding 560 mm.<br>Offset toward door side is 20 mm.   |
| MARCH          | NK11                  | -10mm | B6  | DNN1980B06R | DNN1980B06L | -      | 4WD Offset toward door side is 13 mm.   |
| MARCH          | K12                   | -30mm | B4  | DNN1990B04R | DNN1990B04L | NPC001 | Offset toward door side is 10 mm.   |
| MARCH          | K12                   | -50mm | B1  | DNN2560B01R | DNN2560B01L | NPC001 | Superlow model. Offset toward door side is 10 mm.   |
| MARCH          | K13                   | -20mm | B36 | DNN2000B36R | DNN2000B36L | NPC001 | It is common to 2WD and 4WD. Offset toward door side is 10 mm.  |
| MARCH          | K13                   | -20mm | LB9 | DNN2000B09R | DNN2000B09L | NPC001 | It is common to 2WD and 4WD. Offset toward door side is 10 mm.  |
| MOCO           | MG21S                 | -15mm | B4  | DNN2030B04R | DNN2030B04L | -      | Common to WAGON-R(MC11S,MC22S),MR-WAGON(MF21S),   |
| MOCO           | MG22S                 | -20mm | B16 | DNN2450B16R | DNN2450B16L | -      | Common to WAGON-R(MH21S,MH22S),MR-WAGON(MF22S),   |
| MOCO           | MG33S                 | -20mm | B36 | DNN2040B36R | DNN2040B36L | NPC001 | Common to WAGON-R(MH34S,MH44S),MR-WAGON(MF33S),<br>SPACIA(MK32S,MK42S),<br>FLAIR(MJ34S,MJ44S).  |
| MURANO         | Z50,NZ50              | -35mm | B16 | DNN2010B16R | DNN2010B16L | -      |   |
| MURANO         | NZ51                  | -10mm | B16 | DNN2020B16R | DNN2020B16L | NPC001 | Requires original-equipment tool for 16-mm hexagon floor bolts.   |
| NAVARA         | D23                   | -20mm | B1  | DNN1050B01R | DNN1050B01L | NPC002 | Double pickup. Offset toward door side is 10 mm.  |
| NOTE           | E11,NE11              | -25mm | B16 | DNN1700B16R | DNN1700B16L | -      | It is common to 2WD and 4WD. Offset toward door side is 15 mm.  |
| NOTE           | E12,NE12              | -20mm | B6  | DNN1710B06R | DNN1710B06L | -      | It is common to 2WD and 4WD. Offset toward door side is 15 mm.  |
| NOTE           | E12,NE12              | -20mm | LB9 | DNN1710B09R | DNN1710B09L | -      | It is common to 2WD and 4WD. Offset toward door side is 7 mm.   |
| NOTE e-POWER   | HE12,SNE12            | -10mm | B36 | DNN1720B36R | DNN1720B36L | -      | Offset toward door side is 12 mm. For seats with a convex bottom, watch for interference at the rearmost part of the seat bottom.<br>A seat with a projecting bottom will interfere with the battery and outlet located on the floor. (Can be installed if the seat is raised.) |
| NOTE,NOTE AURA | E13,SNE13,FE13,FSNE13 | ±0mm  | B36 | DNN2470B36R | DNN2470B36L | NPC001 | It is common to 2WD and 4WD. Offset toward door side is 10 mm.<br>Dial width 535mm or more There is interference.   |

|                |                       |       |     |             |             |        |  |
|----------------|-----------------------|-------|-----|-------------|-------------|--------|--|
| NOTE,NOTE AURA | E13,SNE13,FE13,FSNE13 | -30mm | B6  | DNN2480B06R | DNN2480B06L | NPC001 | Superlow model.<br>It is common to 2WD and 4WD. Offset toward door side is 10 mm.<br>Dial width 535mm or more There is interference.<br>It interferes with the rear air conditioner duct of 4WD vehicles and cold region specification vehicles. |
| NOTE,NOTE AURA | E13,SNE13,FE13,FSNE13 | -10mm | LB9 | DNN2490B09R | DNN2490B09L | NPC001 | It is common to 2WD and 4WD.<br>Dial width 520mm or more There is interference.  |
| NV200 VANETTE  | M20,VM20              | ±0mm  | B1  | DNN1060B01R | DNN1060B01L | -      |  |
| NV350 CARAVAN  | E26                   | +15mm | B1  | DNN1070B01R | -           | -      | Passenger seat is unconfirmed.<br>When installing the IS24 Recaro seat, the belt stays and bolts and nuts will interfere with the seat.<br>AM19 cannot be installed.   |
| NV350 CARAVAN  | E26                   | +15mm | B1  | DNN1071B01R | -           | -      | Passenger seat is unconfirmed.<br>An article for exclusive use of the IS24 AM19 wearing.   |
| NV400          | -                     | -10mm | B36 | DNN1080B36R | -           | -      |  |
| OTTI           | H91W,H92W             | -20mm | B4  | DNN2130B04R | DNN2130B04L | -      | Common to eK-WAGON(H81W,H82W)  |
| PRAIRIE JOY    | M11                   | -15mm | B4  | DNN1950B04R | DNN1950B04L | -      |  |
| PRESAGE        | NU30,U30              | -20mm | B4  | DNN2141B04R | DNN2141B04L | NPC001 |  |
| PRESAGE        | U31,NU31              | -20mm | B16 | DNN1960B16R | DNN1960B16L | NPC001 | Excludes cold weather vehicles   |
| PRESAGE        | U31,NU31              | -20mm | B4  | DNN1960B04R | DNN1960B04L | NPC001 | Cold region specification vehicle  |
| PRESEA         | R10,PR10,HR10         | -10mm | B1  | DNN1741B01R | DNN1741B01L | -      | 2WD  |
| PRIMERA        | P10                   | -10mm | B4  | DNN1870B04R | DNN1870B04L | -      |  |
| PRIMERA        | P11                   | -10mm | B1  | DNN1880B01R | DNN1880B01L | NPC001 | 2WD  |
| PRIMERA        | NP11                  | -10mm | B1  | DNN1900B01R | DNN1900B01L | NPC001 | 4WD  |
| PRIMERA        | P12                   | -20mm | B1  | DNN1890B01R | DNN1890B01L | NPC001 | 2WD Offset toward door side is 5 mm.   |
| PULSAR         | N14                   | -10mm | B1  | DNN1740B01R | DNN1740B01L | -      | 2WD  |
| PULSAR         | NN14                  | -20mm | B1  | DNN1750B01R | DNN1750B01L | -      | 4WD  |
| PULSAR         | N15                   | ±0mm  | B1  | DNN1760B01R | DNN1760B01L | -      | 4WD / NN15 cannot be installed.  |
| RASHEEN        | NB14                  | -20mm | B1  | DNN2050B01R | DNN2050B01L | -      | 4WD  |
| RNESSA         | NN30,N30              | -20mm | B4  | DNN2140B04R | DNN2140B04L | NPC001 |  |
| ROOX           | B44A,B45A,B47A,B48A   | -20mm | B6  | DNN2320B06R | DNN2320B06L | NPC001 | Common to 2WD,4WD and EK SPACE(B3#A).<br>Use genuine base.   |
| ROOX           | B44A,B45A,B47A,B48A   | -20mm | LB9 | DNN2320B09R | DNN2320B09L | NPC001 | Common to 2WD,4WD and EK SPACE(B3#A).<br>Use genuine base.   |
| SAFARI         | Y60                   | -20mm | B4  | DNN1320B04R | DNN1320B04L | -      | PATROL 1987.9~1997.9   |
| SAFARI         | Y61                   | -20mm | B4  | DNN1310B04R | DNN1310B04L | -      |  |
| SAKURA         | B6AW                  | -20mm | B36 | DNN2311B36R | DNN2311B36L | NPC001 | There is interference when the dial width is 510 mm or more.<br>It is common to 2WD and 4WD.   |

|                |            |         |      |             |             |        |   |
|----------------|------------|---------|------|-------------|-------------|--------|---|
| SAKURA         | B6AW       | -20mm   | LB25 | DNN2311B25R | DNN2311B25L | NPC001 | There is interference when the dial width is 510 mm or more.<br>It is common to 2WD and 4WD.  |
| SERENA         | NC24,C24   | -30mm   | B16  | DNN1570B16R | DNN1570B16L | -      | It is common to 2WD and 4WD.  |
| SERENA         | C25,C26    | -25mm   | B36  | DNN1580B36R | DNN1580B36L | NPC001 | It is common to 2WD and 4WD.  |
| SERENA         | C27        | -25mm   | B36  | DNN1581B36R | DNN1581B36L | NPC002 | It is common to 2WD and 4WD. e-POWER cannot be installed.   |
| SERENA e-POWER | HC27,HFC27 | -20mm   | B36  | DNN2440B36R | DNN2440B36L | NPC002 | e-POWER only.   |
| SERENA         | C28,FC28   | -25mm   | B36  | DNN1582B36R | DNN1582B36L | NPC002 | It is common to 2WD and 4WD. e-POWER cannot be installed.<br>Not confirmed for vehicles equipped with center console box.   |
| SERENA e-POWER | GC28,GFC28 | -20mm   | B36  | DNN2540B36R | DNN2540B36L | NPC002 | e-POWER only. Interferes with shoulder width exceeding 560 mm.<br>Not confirmed for vehicles equipped with center console box.  |
| SYLPHY         | TB17       | ±0mm    | B36  | DNN1380B36R | DNN1380B36L | NPC001 | Offset toward door side is 5 mm.  |
| SILVIA,180SX   | S13,14     | -20mm   | B1   | DNN2260B01R | -           | -      | Superlow model.<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed.                                 |
| SILVIA,180SX   | S13,14     | -10mm   | B1   | -           | DNN1400B01L | -      |   |
| SILVIA,        | S15        | -20mm   | B1   | DNN2261B01R | -           | NPC001 | Superlow model.<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed.                                 |
| SILVIA,        | S15        | -10mm   | B1   | -           | DNN1401B01L | NPC001 |   |
| SKYLINE        | GC10       | No data | B1   | DNN2150B01R | DNN2150B01L | -      | Superlow model.<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed.                                 |
| SKYLINE        | GC10       | No data | B1   | DNN2390B01R | DNN2390B01L | -      | Compared to DNN2150, only the front is increased by 15mm.<br>AM19 requires a 20mm spacer with or without electric function.   |
| SKYLINE        | GC10       | No data | B6   | DNN2400B06R | DNN2400B06L | -      | Compared to DNN2150, both front and rear are increased by 30mm.   |
| SKYLINE        | R32,33     | -20mm   | B1   | DNN2271B01R | -           | -      | 2WD<br>Superlow model.<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed.                          |
| SKYLINE        | R32,33     | -10mm   | B1   | -           | DNN1431B01L | -      | 2WD   |
| SKYLINE        | NR32,33,34 | -20mm   | B1   | DNN2270B01R | -           | NPC001 | 4WD<br>Superlow model.<br>Seats with a convex bottom (such as AM19) are not compatible.<br>Seat rail conversion adapter cannot be installed.<br>Side airbag R34 only. |

|                    |                              |         |     |             |             |        |  |
|--------------------|------------------------------|---------|-----|-------------|-------------|--------|--|
| SKYLINE            | NR32,33,34                   | -10mm   | B1  |             | DNN1430B01L | NPC001 | 4WD<br>Side airbag R34 only.   |
| SKYLINE            | ER34,HR34                    | -20mm   | B1  | DNN1440B01R | DNN1440B01L | NPC001 | 2WD  |
| SKYLINE            | V35                          | -10mm   | B4  | DNN1450B04R | DNN1450B04L | NPC001 | Vehicles with active seats require a canceller (NPC001×1 pcs).                               |
| SKYLINE COUPE      | CPV35                        | -20mm   | B1  | DNN1460B01R | DNN1460B01L | NPC001 | Vehicles with active seats require a canceller (NPC001×1 pcs).                               |
| SKYLINE            | V36                          | -10mm   | B4  | DNN1470B04R | DNN1470B04L | NPC001 | For 2WD vehicles. 4WD/NV36 is unconfirmed.   |
| SKYLINE COUPE      | CKV36                        | -10mm   | B1  | DNN1480B01R | DNN1480B01L | NPC001 | Offset toward door side is 18 mm.  |
| SKYLINE            | RV37,ZV37,YV37<br>HV37,HNV37 | -25mm   | B1  | DNN2370B01R | DNN2380B01L | NPC001 | Electronic devices need to be relocated.   |
| SKYLINE CROSSOVER  | J50,NJ50                     | -20mm   | B6  | DNN1490B06R | DNN1490B06L | NPC001 | It is common to 2WD and 4WD.   |
| STAGEA             | WC34                         | -10mm   | B4  | DNN1500B04R | DNN1500B04L | NPC001 | It is common to 2WD and 4WD.   |
| STAGEA             | M35                          | -10mm   | B4  | DNN1510B04R | DNN1510B04L | NPC001 | Vehicles with active seats require a canceller (NPC001×1 pcs).                               |
| SUNNY              | B310                         | No data | B1  | DNN1270B01R | DNN1270B01L | -      | Excluding B311 1977.11~1981.9  |
| SUNNY              | B13                          | -10mm   | B1  | DNN1280B01R | DNN1280B01L | -      | 2WD  |
| SUNNY              | B14                          | ±0mm    | B1  | DNN1290B01R | DNN1290B01L | -      | 2WD  |
| SUNNY              | B15                          | -10mm   | B1  | DNN1300B01R | DNN1300B01L | -      | 2WD  |
| TEANA              | J31                          | -20mm   | B4  | DNN1610B04R | DNN1610B04L | NPC001 | 4WD/NJ31 unconfirmed.  |
| TEANA              | J32                          | -20mm   | B16 | DNN1620B16R | DNN1620B16L | NPC001 | 2WD  |
| TERRANO            | R50                          | -15mm   | B4  | DNN1680B04R | DNN1680B04L | -      |  |
| TERRANO            | D21                          | -20mm   | B4  | DNN1690B04R | DNN1690B04L | -      |  |
| TIIDA, TIIDA LATIO | C11,NC11                     | -25mm   | B16 | DNN1630B16R | DNN1630B16L | -      | It is common to 2WD and 4WD. Offset toward door side is 15 mm.                               |
| TINO               | V10                          | -20mm   | B4  | DNN1640B04R | DNN1640B04L | NPC001 |  |
| UD 10t             | -                            | -20mm   | B6  | DNN1090B06R | -           | -      | Mounting dimensions required.(There are 2 types.)<br>Slide rail cannot be connected.         |
| WINGROAD           | Y10                          | -10mm   | B1  | DNN1130B01R | DNN1130B01L | -      | 2WD  |
| WINGROAD           | NY10                         | -10mm   | B1  | DNN1140B01R | DNN1140B01L | -      | 4WD  |
| WINGROAD           | Y11,NY11                     | -10mm   | B4  | DNN1150B04R | DNN1150B04L | -      | It is common to 2WD and 4WD.   |
| WINGROAD           | Y12,NY12                     | -10mm   | B16 | DNN1160B16R | DNN1160B16L | -      | Offset toward door side is 7 mm. It is common to 2WD and 4WD.                                |
| X-TRAIL            | NT30,T30                     | -20mm   | B4  | DNN1170B04R | DNN1170B04L | -      | It is common to 2WD and 4WD.   |
| X-TRAIL            | NT31,T31                     | -20mm   | B16 | DNN1671B16R | DNN1671B16L | NPC001 | Offset toward door side is 8 mm.   |
| X-TRAIL            | NT32,T32                     | -30mm   | B36 | DNN1180B36R | DNN1180B36L | NPC001 | It is common to 2WD and 4WD.   |
| X-TRAIL            | T33,SNT33                    | ±0mm    | B36 | DNN2510B36R | DNN2510B36L | NPC001 | It is common to 2WD and 4WD.<br>There is interference when the dial width is 540 mm or more. |
| X-TRAIL            | T33,SNT33                    | -10mm   | LB9 | DNN2520B09R | DNN2520B09L | NPC001 | It is common to 2WD and 4WD.<br>There is interference when the dial width is 540 mm or more. |