

— explanatory note —

The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat. It is measured by mounting a Recaro or Bride full bucket seat at the lowest position possible without the seat bottom interfering with the seat rail or vehicle floor. Differences may arise due to the position of the seat to be mounted (the position of the bolt holes), the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.

Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.

Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

SUBARU

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
1300G	A10 series	-50mm	S6	DSU1360S06R	DSU1360S06L	-	Belt anchor floor fixed type.
BRZ	ZC6	±0mm	S6	DSU1010S06R	DSU1010S06L	NPC002	
BRZ	ZC6	-30mm	SSD-V	DSU1010SSDVR	DSU1010SSDVL	NPC002	
BRZ	ZD8	±0mm	S6	DSU1011S06R	DSU1011S06L	NPC002	Passenger seat weight sensor requires electronic processing.
BRZ	ZD8	-30mm	SSD-V	DSU1011SSDVR	DSU1011SSDVL	NPC002	Passenger seat weight sensor requires electronic processing.
EXIGA	YA4,YA5,YAM	-20mm	S36	DSU1131S36R	DSU1131S36L	NPC004	Offset toward door side is 10 mm. Interferes with shoulder width exceeding 550 mm.
FORESTER	SF5	-15mm	S4	DSU1180S04R	DSU1180S04L	-	
FORESTER	SG5,SG9	-20mm	S4	DSU1190S04R	DSU1190S04L	NPC004	
FORESTER	SH5	-15mm	S36	DSU1130S36R	DSU1130S36L	NPC004	Offset toward door side is 10 mm. Interferes with shoulder width exceeding 550 mm.
FORESTER	SKE,SK9,SK5	-20mm	S36	DSU1210S36R	DSU1210S36L	NPC002	Offset toward door side is 15 mm. Interferes with shoulder width exceeding 580 mm.
FORESTER	SKE,SK9	-10mm	S36	DSU1300S36R	DSU1300S36L	NPC001	Offset toward door side is 10 mm.
IMPREZA	GC8(A,B,C) GF8(A,B,C)	-10mm	S6	DSU1230S06R	DSU1230S06L	NPC004	Applied A to C types. Common to LEGACY(BG,BD).
IMPREZA	GC8(A,B,C) GF8(A,B,C)	-20mm	S1	DSU1240S01R	DSU1240S01L	NPC004	Superlow model. Offset toward door side is 8 mm. Applied A to C types. Common to LEGACY(BG,BD).
IMPREZA	GC8(D,E,F,G) GF8(D,E,F,G)	-10mm	S6	DSU1233S06R	DSU1233S06L	NPC004	Applied D to G types. Common to LEGACY(BH,BE).
IMPREZA	GC8(D,E,F,G) GF8(D,E,F,G)	-20mm	S1	DSU1243S01R	DSU1243S01L	NPC004	Superlow model. Offset toward door side is 8 mm. Applied D to G types. Common to LEGACY(BH,BE).
IMPREZA	GDA,GDB,GD2,GD3,GD9 GGA,GGB,GG2,GG3,GG9	-10mm	S4	DSU1060S04R	DSU1060S04L	NPC004	Vehicle without pretensioner.

IMPREZA	GDA,GDB,GD2,GD3,GD9 GGA,GGB,GG2,GG3,GG9	-45mm	S1	DSU1070S01R	DSU1070S01L	NPC004	Superlow model. Vehicle without pretensioner.
IMPREZA	GDA,GDB,GD2,GD3,GD9 GGA,GGB,GG2,GG3,GG9	-15mm	S4	DSU1050S04R	-	NPC004	Car with pretensioner. Offset toward door side is 6 mm.
IMPREZA	GH2,GH3,GH7,GH8	-25mm	S6	DSU1081S06R	DSU1081S06L	NPC004	Common to IMPREZAWRX STI(GRB,GRF,GVB,GVF).
IMPREZA	GH2,GH3,GH7,GH8	-45mm	S1	DSU1091S01R	DSU1091S01L	NPC004	Superlow model. Offset toward door side is 8 mm. Common to IMPREZAWRX STI(GRB,GRF,GVB,GVF).
IMPREZA WRX STI	GRB,GRF,GVB,GVF	-25mm	S6	DSU1080S06R	DSU1080S06L	NPC004	Common to IMPREZA(GH2,GH3,GH7,GH8).
IMPREZA WRX STI	GRB,GRF,GVB,GVF	-45mm	S1	DSU1090S01R	DSU1090S01L	NPC004	Superlow model. Offset toward door side is 8 mm. Common to IMPREZA(GH2,GH3,GH7,GH8).
IMPREZA G4	GJ2,GJ3,GJ6,GJ7	-30mm	S6	DSU1043S06R	DSU1043S06L	NPC002	Offset toward door side is 5 mm. Interferes with shoulder width exceeding 590 mm. Common to WRX STI,WRX S4(VAB,VAG), IMPREZA SPORT(GP2,GP3,GP6,GP7,GPE), IMPREZA XV(GP7), LEVORG(VM4,VMG).
IMPREZA G4	GJ2,GJ3,GJ6,GJ7	-20mm	LS9	DSU1043S09R	DSU1043S09L	NPC002	Interferes with shoulder width exceeding 590 mm. Common to WRX STI,WRX S4(VAB,VAG), IMPREZA SPORT(GP2,GP3,GP6,GP7,GPE), IMPREZA XV(GP7), LEVORG(VM4,VMG).
IMPREZA G4	GK2,GK3,GK6,GK7	-10mm	S6	DSU1101S06R	DSU1101S06L	NPC001	Common to IMPREZA SPORT(GT2,GT3,GT6,GT7,GTE), IMPREZA G4(GK2,GK3,GK6,GK7).
IMPREZA G4	GK2,GK3,GK6,GK7	-10mm	LS9	DSU1101S09R	DSU1101S09L	NPC001	Common to IMPREZA SPORT(GT2,GT3,GT6,GT7,GTE), IMPREZA G4(GK2,GK3,GK6,GK7).
IMPREZA SPORT	GP2,GP3,GP6,GP7,GPE	-30mm	S6	DSU1042S06R	DSU1042S06L	NPC002	Offset toward door side is 5 mm. Interferes with shoulder width exceeding 590 mm. Common to WRX STI,WRX S4(VAB,VAG), IMPREZA G4(GJ2,GJ3,GJ6,GJ7), IMPREZA XV(GP7), LEVORG(VM4,VMG).
IMPREZA SPORT	GP2,GP3,GP6,GP7,GPE	-20mm	LS9	DSU1042S09R	DSU1042S09L	NPC002	Interferes with shoulder width exceeding 590 mm. Common to WRX STI,WRX S4(VAB,VAG), IMPREZA G4(GJ2,GJ3,GJ6,GJ7), IMPREZA XV(GP7), LEVORG(VM4,VMG).

IMPREZA SPORT	GT2,GT3,GT6,GT7,GTE	-10mm	S6	DSU1100S06R	DSU1100S06L	NPC001	Common to IMPREZA G4(GK2,GK3,GK6,GK7), IMPREZA XV(GT3,GT7).
IMPREZA SPORT	GT2,GT3,GT6,GT7,GTE	-10mm	LS9	DSU1100S09R	DSU1100S09L	NPC001	Common to IMPREZA G4(GK2,GK3,GK6,GK7), IMPREZA XV(GT3,GT7).
IMPREZA XV	GP7	-30mm	S6	DSU1044S06R	DSU1044S06L	NPC002	Offset toward door side is 5 mm. Interferes with shoulder width exceeding 590 mm. Common to WRX STI,WRX S4(VAB,VAG), IMPREZA SPORT(GP2,GP3,GP6,GP7,GPE), IMPREZA G4(GJ2,GJ3,GJ6,GJ7), LEVORG(VM4,VMG).
IMPREZA XV	GP7	-20mm	LS9	DSU1044S09R	DSU1044S09L	NPC002	Interferes with shoulder width exceeding 590 mm. Common to WRX STI,WRX S4(VAB,VAG), IMPREZA SPORT(GP2,GP3,GP6,GP7,GPE), IMPREZA G4(GJ2,GJ3,GJ6,GJ7), LEVORG(VM4,VMG).
IMPREZA XV	GT3,GT7	-10mm	S6	DSU1102S06R	DSU1102S06L	NPC001	Common to IMPREZA SPORT(GT2,GT3,GT6,GT7), IMPREZA G4(GK2,GK3,GK6,GK7).
IMPREZA XV	GT3,GT7	-10mm	LS9	DSU1102S09R	DSU1102S09L	NPC001	Common to IMPREZA SPORT(GT2,GT3,GT6,GT7), IMPREZA G4(GK2,GK3,GK6,GK7).
JUSTY	M900F,M910F	-30mm	S36	DSU1160S36R	DSU1160S36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Common to TANK,R00MY,TOOL.
LEGACY	BG,BD	-10mm	S6	DSU1231S06R	DSU1231S06L	NPC004	Common to LEGACY(BH,BE),IMPREZA(GC,GF).
LEGACY	BG,BD	-20mm	S1	DSU1241S01R	DSU1241S01L	NPC004	Superlow model. Offset toward door side is 8 mm. Common to LEGACY(BH,BE),IMPREZA(GC,GF).
LEGACY	BH,BE	-10mm	S6	DSU1232S06R	DSU1232S06L	NPC004	Vehicle without pretensioner. Common to LEGACY(BG,BD),IMPREZA(GC,GF).
LEGACY	BH,BE	-40mm	S1	DSU1242S01R	DSU1242S01L	NPC004	Superlow model. Vehicle without pretensioner. LEGACY(BG,BD),IMPREZA(GC,GF)共通
LEGACY	BH,BE	-10mm	S4	DSU1270S04R	-	NPC004	Car with pretensioner. Offset toward door side is 12 mm.
LEGACY	BP,BL	-20mm	S4	DSU1280S04R	DSU1280S04L	NPC004	
LEGACY	BM,BR	-10mm	S36	DSU1290S36R	DSU1290S36L	NPC002	Offset toward door side is 5 mm. Interferes with shoulder width exceeding 595 mm. Common to LEGACY(BN9,BS9).

LEGACY	BN9,BS9	-10mm	S36	DSU1291S36R	DSU1291S36L	NPC002	Offset toward door side is 5 mm. Interferes with shoulder width exceeding 595 mm. Position data is LEGACY(BR, BM).
LEGACY OUTBACK	BT5	-20mm	S6	DSU1342S06R	DSU1342S06L	NPC001	Relocation of driver's seat position memory and slide sensor is required. Passenger seat weight sensor requires electronic processing. Common to LEVORG(VN5,VNH), WRX S4(VBH).
LEGACY OUTBACK	BT5	±0mm	LS9	DSU1342S09R	DSU1342S09L	NPC001	Relocation of driver's seat position memory and slide sensor is required. Passenger seat weight sensor requires electronic processing. Common to LEVORG(VN5,VNH), WRX S4(VBH).
LEVORG	VM4,VMG	-30mm	S6	DSU1041S06R	DSU1041S06L	NPC002	Offset toward door side is 5 mm. Interferes with shoulder width exceeding 590 mm. Common to WRX STI,WRX S4(VAB,VAG), IMPREZA SPORT(GP2,GP3,GP6,GP7,GPE), IMPREZA G4(GJ2,GJ3,GJ6,GJ7), IMPREZA XV(GP7).
LEVORG	VM4,VMG	-20mm	LS9	DSU1041S09R	DSU1041S09L	NPC002	Interferes with shoulder width exceeding 590 mm. Common to WRX STI,WRX S4(VAB,VAG), IMPREZA SPORT(GP2,GP3,GP6,GP7,GPE), IMPREZA G4(GJ2,GJ3,GJ6,GJ7), IMPREZA XV(GP7).
LEVORG	VN5,VNH	-20mm	S6	DSU1340S06R	DSU1340S06L	NPC001	Relocation of driver's seat position memory and slide sensor is required. Passenger seat weight sensor requires electronic processing. Common to WRX S4(VBH), LEGACY OUTBACK(BT5).
LEVORG	VN5,VNH	±0mm	LS9	DSU1340S09R	DSU1340S09L	NPC001	Relocation of driver's seat position memory and slide sensor is required. Passenger seat weight sensor requires electronic processing. Common to WRX S4(VBH), LEGACY OUTBACK(BT5).
LUCRA	L455	-35mm	S36	DSU1350S36R	DSU1350S36L	-	11mm offset to the console side.
PLEO	RA1,RA2,RV1,RV2	±0mm	S4	DSU1220S04R	DSU1220S04L	-	
PLEO	L275,L285	-20mm	S16	DSU1420S16R	DSU1420S16L	NPC001	Common to MIRA(L275,L285).
PLEO PLUS	LA300F,LA310F	-20mm	S36	DSU1320S36R	DSU1320S36L	NPC001	Common to MIRA e:S(LA300,LA310).
R1,R2	RJ1,RJ2,RC1,RC2	±0mm	S16	DSU1020S16R	DSU1020S16L	NPC004	Interferes with shoulder width exceeding 560 mm. Common to STELLA(RN1,RN2).

R1,R2	RJ1,RJ2,RC1,RC2	-40mm	S1	DSU1030S01R	DSU1030S01L	NPC004	Superlow model. Center console needs to be removed. Interferes with shoulder width exceeding 560 mm. Common to STELLA(RN1,RN2).
STELLA	RN1,RN2	±0mm	S16	DSU1021S16R	DSU1021S16L	NPC004	Interferes with shoulder width exceeding 560 mm. If dial interference occurs, it needs to be removed. Common to R1,R2(RJ1,RJ2,RC1,RC2).
STELLA	RN1,RN2	-40mm	S1	DSU1031S01R	DSU1031S01L	NPC004	Superlow model. Interferes with shoulder width exceeding 560 mm. If dial interference occurs, it needs to be removed. Common to R1,R2(RJ1,RJ2,RC1,RC2).
STELLA	LA100F,LA110F	-15mm	S36	DSU1400S36R	DSU1400S36L	NPC001	
STELLA	LA150F,LA160F	-15mm	S36	DSU1410S36R	DSU1410S36L	NPC001	
TRAVIQ	XM182,XM220	-20mm	S1	DSU1170S01R	DSU1170S01L	NPC001	OPEL ZAFIRA(XM180,XM181).
TREZIA	NSP120X,NSP125X	-10mm	S36	DSU1370S36R	DSU1370S36L	NPC001	
VIVIO	KK3,KK4	-20mm	S1	DSU1120S01R	DSU1120S01L	-	The console needs to be removed or modified. If dial interference occurs, it needs to be removed.
VIVIO T-TOP	KY3	-20mm	S1	DSU1310S01R	DSU1310S01L	-	Offset toward door side is 20 mm. If dial interference occurs, it needs to be removed.
WRX STI,WRX S4	VAB,VAG	-30mm	S6	DSU1040S06R	DSU1040S06L	NPC002	Offset toward door side is 5 mm. Interferes with shoulder width exceeding 590 mm. Common to IMPREZA SPORT(GP2,GP3,GP6,GP7,GPE), IMPREZA G4(GJ2,GJ3,GJ6,GJ7), IMPREZA XV(GP7), LEVORG(VM4,VMG).
WRX STI,WRX S4	VAB,VAG	-20mm	LS9	DSU1040S09R	DSU1040S09L	NPC002	Interferes with shoulder width exceeding 590 mm. Common to IMPREZA SPORT(GP2,GP3,GP6,GP7,GPE), IMPREZA G4(GJ2,GJ3,GJ6,GJ7,GPE), IMPREZA XV(GP7), LEVORG(VM4,VMG).
WRX S4	VBH	-20mm	S6	DSU1341S06R	DSU1341S06L	NPC001	Relocation of driver's seat position memory and slide sensor is required. Passenger seat weight sensor requires electronic processing. Common to LEVORG(VN5,VNH), LEGACY OUTBACK(BT5).
WRX S4	VBH	±0mm	LS9	DSU1341S09R	DSU1341S09L	NPC001	Relocation of driver's seat position memory and slide sensor is required. Passenger seat weight sensor requires electronic processing. Common to LEVORG(VN5,VNH), LEGACY OUTBACK(BT5).