

The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat.

It is measured by mounting a Recaro Reclining seat.

— **explanatory note** — Differences may arise due to the position of the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.

Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.

Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

SUZUKI

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
AERIO	RA21S,RB21S RC51S,RD51S	-30mm	B4	DSI1190B04R	DSI1190B04L	-	Offset toward door side is 10 mm.
ALTO	CL~CS22S	-10mm	B1	DSI1050B01R	DSI1050B01L	-	
ALTO	HA11S,HA21S HB11S,HB21S	-10mm	B1	DSI1051B01R	DSI1051B01L	-	
ALTO	HA12,HA22,HA23	-10mm	B4	DSI1070B04R	DSI1070B04L	-	
ALTO	HA12,HA22,HA23	-25mm	B1	DSI1080B01R	DSI1080B01L	-	Superlow model.
ALTO	HA24S	-20mm	B4	DSI1110B04R	DSI1110B04L	-	Common to CERVO(HG21S).
ALTO	HA25S,HA25V	-20mm	B6	DSI1120B06R	DSI1120B06L	-	Be aware of possible interference with the door-side dial. Common to CAROL(HB25S,HB25V).
ALTO	HA36S,HA36V	-30mm	B6	DSI1130B06R	DSI1130B06L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Offset toward door side is 7 mm. Interferes with shoulder width exceeding 540 mm. Seat drop is from Model ALTO WORKS genuine Recaro specifications. Common to CAROL(HB36S).
ALTO	HA36S,HA36V	-65mm	B1	DSI1540B01R	DSI1540B01L	NPC001	Superlow model. Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Offset toward door side is 7 mm. Interferes with shoulder width exceeding 540 mm. Seat drop is from Model ALTO WORKS genuine Recaro specifications. Common to CAROL(HB36S).
ALTO	HA37S,HA97S	-30mm	B6	DSI1131B06R	DSI1131B06L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Offset toward door side is 7 mm. Interferes with shoulder width exceeding 540 mm. Numerical value is from Model ALTO(HA36S,HA36V) specifications.
ALTO	HA37S,HA97S	-65mm	B1	DSI1541B01R	DSI1541B01L	NPC001	Superlow model. Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Offset toward door side is 7 mm. Interferes with shoulder width exceeding 540 mm. Numerical value is from Model ALTO(HA36S,HA36V) specifications.

ALTO ECO	HA35S	-20mm	B6	DSI1121B06R	DSI1121B06L	-	Be aware of possible interference with the door-side dial. Common to CAROL(HB25S).
ALTO LAPIN	HE21S	-20mm	B1	DSI1430B01R	DSI1430B01L	-	Offset toward door side is 10 mm.
ALTO LAPIN	HE22S	±0mm	B16	DSI1420B16R	DSI1420B16L	NPC001	4WD / unconfirmed
ALTO LAPIN	HE33S	-30mm	B6	DSI1550B06R	DSI1550B06L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Offset toward door side is 7 mm. Interferes with shoulder width exceeding 540 mm. Numerical value is from Model ALTO(HA36S,HA36V) specifications. Common to ALTO(HA36S,HA36V).
ALTO LAPIN	HE33S	-65mm	B1	DSI1560B01R	DSI1560B01L	NPC001	Superlow model. Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Offset toward door side is 7 mm. Interferes with shoulder width exceeding 540 mm. Numerical value is from Model ALTO(HA36S,HA36V) specifications. Common to ALTO(HA36S,HA36V).
BALENO	WB32S,WB42S	-25mm	B6	DSI1600B06R	DSI1600B06L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Interferes with shoulder width exceeding 580 mm.
BALENO	WB32S,WB42S	-45mm	B1	DSI1610B01R	DSI1610B01L	NPC001	Superlow model. Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Interferes with shoulder width exceeding 580 mm.
CARRY TRACK	DA16T	+20mm	B1	DSI1670B01R	-	-	'21/08~ (3BD-DA16T) only. Door side seat belt cover removal required. Genuine belt catch separation processing required. Only SR7 · LX-F(IS05) is possible. Console part dial and belt catch interference. DIGO3 with the door side lever removed has no room. Interference between the console lever and the belt catch.
CERVO MODE	CN31S	-10mm	B1	DSI1051B01R	DSI1051B01L	-	
CERVO	HG21S	-20mm	B4	DSI1111B04R	DSI1111B04L	-	Common to ALTO(HA24S).
ESCUDO	TD02,TD32,TD52,TD62	-20mm	B6	DSI1630B06R	DSI1630B06L	-	
ESCUDO	TD54,TD94	-20mm	B4	DSI1620B04R	DSI1620B04L	NPC001	Offset toward console side is 8 mm. Common to SWIFT(ZC11S,ZD11S,ZD21S,ZC31S).
ESCUDO	TDA4W,TDB4W	-10mm	B6	DSI1170B06R	DSI1170B06L	NPC001	
ESCUDO	YE21S,YEA1S,YD21S	-10mm	B36	DSI1150B36R	DSI1150B36L	NPC001	Offset toward door side is 10 mm.
EVERY	DA64W,DA64V	+20mm	B1	DSI1180B01R	DSI1180B01L	-	Use genuine slide rails. Seats with a convex bottom (such as AM19) are not compatible. Interferes with shoulder width exceeding 580 mm. Seat rail conversion adapter cannot be installed.
HUSTLER	MR31S,MR41S	-20mm	B36	DSI1650B36R	DSI1650B36L	NPC001	Manual shift car cannot be installed. Common to WAGON-R(MH34S,MH44S).

HUSTLER	MR52S,MR92S	-30mm	B36	DSI1590B36R	DSI1590B36L	NPC001	Offset toward door side is 6 mm. Common to WAGON-R(MH35S,MH55S),FLAIR(MJ55S)
IGNIS	FF21S	-20mm	B6	DSI1140B06R	DSI1140B06L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Offset toward door side is 10 mm. Interferes with shoulder width exceeding 590 mm.
JIMNY	SJ30,JA11,JA71	-10mm	B1	DSI1250B01R	DSI1250B01L	-	
JIMNY, JIMNY SIERRA	JA12,JA22,JB31,JB32	-30mm	B1	DSI1260B01R	DSI1260B01L	-	
JIMNY, JIMNY SIERRA	JB23W,JB33W,JB43W	-20mm	B1	DSI1230B01R	DSI1230B01L	-	Common to AZ-OFF ROAD(JM23W).
JIMNY, JIMNY SIERRA	JB64W,JB74W	-30mm	B36	DSI1240B36R	DSI1240B36L	NPC002	Offset toward door side is 8 mm.
KEI	HN22S,HN11S,HN21S	-15mm	B1	DSI1010B01R	DSI1010B01L	-	
KIZASHI	RE91S,RF91S	±0mm	B6	DSI1301B06R	DSI1301B06L	NPC001	Offset toward door side is 7 mm. Common to SWIFT(ZC72S,ZD72S,ZC32S). If the electric seat in the driver's seat has a position memory Relocation required.
LANDY	C25,C26	-25mm	B36	DSI1690B36R	DSI1690B36L	-	
LANDY	C27	-25mm	B36	DSI1691B36R	DSI1691B36L	NPC002	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
MIGHTY BOY	SS40	不明	B1	DSI1410B01R	DSI1410B01L	-	
MR WAGON	MF21S	-20mm	B4	DSI1020B04R	DSI1020B04L	-	Vehicles with cushion restraint require a canceller (NPC001×2pcs) Common to WAGON-R(MC11S,MC22S),MOCO(MG21S)
MR WAGON	MF22S	-20mm	B16	DSI1641B16R	DSI1641B16L	-	Common to WAGON-R(MH21S,MH22S),MOCO(MG22S)
MR WAGON	MF33S	-20mm	B36	DSI1033B36R	DSI1033B36L	NPC001	Common to WAGON-R(MH34S,MH44S), SPACIA(MK32S,MK42S), MOCO(MG33S),FLAIR(MJ34S,MJ44S).
PALETTE	MK21S	-30mm	B16	DSI1451B16R	DSI1451B16L	NPC001	Common to WAGON-R(MH23S).
SOLIO	MA34S	-20mm	B16	DSI1371B16R	DSI1371B16L	-	Common to WAGON-R+(MA63S).
SOLIO	MA15S	-30mm	B36	DSI1350B36R	DSI1350B36L	NPC001	Offset toward console side is 10 mm. Interferes with shoulder width exceeding 615 mm. Common to DELICA D:2(MB15S).
SOLIO	MA26S	-10mm	B36	DSI1361B36R	DSI1361B36L	-	
SOLIO HYBRID	MA36S,MA46S	-10mm	B36	DSI1360B36R	DSI1360B36L	NPC001	Common to DELICA D:2(MB36S,MB46S).
SOLIO SOLIO HYBRID	MA27S,MA37S,MA47S	-20mm	B36	DSI1530B36R	DSI1530B36L	NPC001	Common to SOLIO_BANDIT(MA37S,MA47S).
SOLIO SOLIO HYBRID	MA27S,MA37S,MA47S	-20mm	LB25	DSI1530B25R	DSI1530B25L	NPC001	Common to SOLIO_BANDIT(MA37S,MA47S).

SPACIA	MK32S,MK42S	-20mm	B36	DSI1031B36R	DSI1031B36L	NPC001	Common to WAGON-R(MH34S,MH44S), SPACIA(MK32S,MK42S), MOCO(MG33S),FLAIR(MJ34S,MJ44S).
SPACIA	MK53S	-30mm	B36	DSI1580B36R	DSI1580B36L	NPC001	Offset toward door side is 6 mm. Common to WAGON-R(MH35S,MH55S),FLAIR(MJ55S)
SPACIA	MK54S,MK94S	-30mm	B36	DSI1581B36R	DSI1581B36L	NPC001	Offset toward door side is 6 mm. Numerical value is from Model SPACIA(MK53S) specifications.
SPACIA BASE	MK33V	-10mm	B36	DSI1680B36R	DSI1680B36L	NPC001	Interferes with shoulder width exceeding 560 mm.
SWIFT	HT51S,HT81S	-20mm	B4	DSI1270B04R	DSI1270B04L	-	Common to CHEVROLET CRUZE(HR51S,HR81S).
SWIFT	ZC11S,ZD11S ZD21S,ZC31S	-20mm	B4	DSI1040B04R	DSI1040B04L	NPC001	
SWIFT	ZC11S,ZD11S ZD21S,ZC31S	-45mm	B1	DSI1290B01R	DSI1290B01L	NPC001	Superlow model. Offset toward door side is 7 mm.
SWIFT	ZC72S,ZD72S,ZC32S	±0mm	B6	DSI1300B06R	DSI1300B06L	NPC001	Offset toward door side is 7 mm. Interferes with shoulder width exceeding 550 mm.
SWIFT	ZC72S,ZD72S,ZC32S	-30mm	B1	DSI1510B01R	DSI1510B01L	NPC001	Superlow model. Offset toward door side is 7 mm. Interferes with shoulder width exceeding 550 mm.
SWIFT	ZC13S,ZC33S,ZC53S ZC73S,ZC83S ZD53S,ZD83S	±0mm	B36	DSI1700B36R	DSI1700B36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Interferes with shoulder width exceeding 580 mm.
SWIFT	ZC13S,ZC33S,ZC53S ZC73S,ZC83S ZD53S,ZD83S	-25mm	B6	DSI1310B06R	DSI1310B06L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Interferes with shoulder width exceeding 580 mm.
SWIFT	ZC13S,ZC33S,ZC53S ZC73S,ZC83S ZD53S,ZD83S	-45mm	B1	DSI1520B01R	DSI1520B01L	NPC001	Superlow model. Interferes with shoulder width exceeding 600 mm.
SWIFT	ZCDDS,ZCEDs ZDDDS,ZDEDS	±0mm	B36	DSI1701B36R	DSI1701B36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Interferes with shoulder width exceeding 580 mm.
SWIFT	ZCDDS,ZCEDs ZDDDS,ZDEDS	-25mm	B6	DSI1311B06R	DSI1311B06L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Interferes with shoulder width exceeding 580 mm.

SWIFT	ZCDDS,ZCEDS ZDDDS,ZDEDS	-45mm	B1	DSI1521B01R	DSI1521B01L	NPC001	Superlow model. Interferes with shoulder width exceeding 600 mm.
SX4	YA11S,YB11S	-20mm	B4	DSI1041B04R	DSI1041B04L	NPC001	Offset toward door side is 7 mm. Common to SWIFT(ZC11S,ZD11S,ZD21S,ZC31S).
TWIN	EC22S	-10mm	B1	DSI1390B01R	DSI1390B01L	-	
WAGON R	CT21S,CV21S	-20mm	B4	DSI1440B04R	DSI1440B04L	-	
WAGON R	MC11S,MC21S	-20mm	B4	DSI1480B04R	DSI1480B04L	-	Common to MR-WAGON(MF21S),MOCO(MG21S),AZ-WAGON(MD11S,MD21S).
WAGON R	MH21S,MH22S	-20mm	B16	DSI1640B16R	DSI1640B16L	-	an automatic transmission vehicle. Common to MR-WAGON(MF22S),MOCO(MG22S),AZ-WAGON(MJ21S,MJ22S).
WAGON R	MH21S,MH22S	-30mm	B4	DSI1660B04R	DSI1660B04L	-	manual transmission vehicle. Common to MR-WAGON(MF22S),MOCO(MG22S),AZ-WAGON(MJ21S,MJ22S).
WAGON R	MH23S	-20mm	B16	DSI1450B16R	DSI1450B16L	NPC001	Common to AZ-WAGON(MJ23S).
WAGON R	MH34S,MH44S	-20mm	B36	DSI1030B36R	DSI1030B36L	NPC001	Common to MR-WAGON(MF33S), SPACIA(MK32S,MK42S), MOCO(MG33S),FLAIR(MJ34S,MJ44S).
WAGON R	MH35S,MH55S MH85S,MH95S	-30mm	B36	DSI1470B36R	DSI1470B36L	NPC001	Offset toward door side is 6 mm. Common to X BEE(MN71S),SPACIA(MK53S),HUSTLER(MS52S,MS92S),FLAIR(MJ55S).
WAGON R PLUS	MA63S	-20mm	B16	DSI1370B16R	DSI1370B16L	-	Common to SOLIO(MA34S).
X BEE	MN71S	-30mm	B36	DSI1570B36R	DSI1570B36L	NPC001	Offset toward door side is 6 mm. Common to WAGON-R(MH35S,MH55S),FLAIR(MJ55S)