

— explanatory note —

The seat drop value described in the compatibility table is primarily a value relative to the original-equipment seat. It is measured by mounting a Recaro or Bride full bucket seat at the lowest position possible without the seat bottom interfering with the seat rail or vehicle floor. Differences may arise due to the position of the seat to be mounted (the position of the bolt holes), the thickness and shape of the bottom of the seat, and seat settling due to aging of the original-equipment seat.

Note: If the original-equipment seat incorporates a height adjustment function, this value is relative to the lowest position.

Note: As a general rule, driver's seat data (passenger seats have different values depending on the presence or absence of height adjustment function)

TOYOTA

Model Name	Model Code	Seat Drop	Type	Right Part No.	Left Part No.	Side SRS	Remarks
86	ZN6	±0mm	S6	DTA1010S06R	DTA1010S06L	NPC002	
86	ZN6	-30mm	SSD-V	DTA1010SSDVR	DTA1010SSDVL	NPC002	
GR86	ZN8	±0mm	S6	DTA1011S06R	DTA1011S06L	NPC001	Passenger seat weight sensor requires electronic processing. When using the dedicated adapter (NPA015), no electronic processing is required as the weight sensor is used.
GR86	ZN8	-30mm	SSD-V	DTA1011SSDVR	DTA1011SSDVL	NPC001	Passenger seat weight sensor requires electronic processing. When using the dedicated adapter (NPA015), no electronic processing is required as the weight sensor is used.
ALLION,PREMIO	AZT240,NZT240,ZZT240	-20mm	S4	DTA1220S04R	DTA1220S04L	No data	4WD only fits the driver's seat.
ALLION,PREMIO	ZRT260,ZRT261 ZRT265,NZT260	-20mm	S16	DTA1230S16R	DTA1230S16L	NPC001	
ALPHARD	ANH10,ANH15 MNH10,MNH15	-15mm	S4	DTA1280S04R	DTA1280S04L	NPC001	
ALPHARD HYBRID	ATH10W	-15mm	S4	DTA1290S04R	DTA1290S04L	NPC001	
ALPHARD	ANH20,ANH25 GGH20,GGH25	-5mm	S6	DTA1300S06R	DTA1300S06L	NPC001	Use genuine base. Interferes with shoulder width exceeding 600 mm.
ALPHARD HYBRID	ATH20	-5mm	S6	DTA1301S06R	DTA1301S06L	NPC001	Use genuine base. Interferes with shoulder width exceeding 600 mm.
ALPHARD	AGH30,AGH35 GGH30,GGH35	-10mm	S6	DTA1310S06R	DTA1310S06L	NPC001	Use genuine base. Not applicable if the passenger seat is a super long slide.
ALPHARD HYBRID	AYH30W	-10mm	S6	DTA1311S06R	DTA1311S06L	NPC001	Use genuine base. Not applicable if the passenger seat is a super long slide.
ALPHARD	AGH40W	-10mm	S6	DTA3450S06R	DTA3450S06L	NPC001	Use genuine base. Memory unit, passenger seat surface pressure sensor needs to be
ALPHARD	AGH40W	-5mm	LS9	DTA3450S09R	DTA3450S09L	NPC001	Use genuine base. Memory unit, passenger seat surface pressure sensor needs to be

ALPHARD HYBRID	AAHH40W	-10mm	S6	DTA3451S06R	DTA3451S06L	NPC001	Use genuine base. Memory unit, passenger seat surface pressure sensor needs to be relocated.
ALPHARD HYBRID	AAHH40W	-5mm	LS9	DTA3451S09R	DTA3451S09L	NPC001	Use genuine base. Memory unit, passenger seat surface pressure sensor needs to be relocated.
ALTEZZA	SXE10,GXE10,JCE10W	-20mm	S4	DTA1260S04R	DTA1260S04L	NPC001	2WD of Altezza Gita is common.
ALTEZZA GITA	GXE15W,JCE15W	-20mm	S4	DTA1270S04R	DTA1270S04L	NPC001	
AQUA	NHP10	-20mm	S6	DTA1200S06R	DTA1200S06L	NPC001	Offset toward door side is 10 mm.
AQUA	NHP10	-20mm	LS9	DTA1200S09R	DTA1200S09L	NPC001	
AQUA	MXPK10,MXPK11 MXPK15,MXPK16	-10mm	S6	DTA3091S06R	DTA3091S06L	NPC002	It is common to 2WD and 4WD. Offset toward door side is 10 mm. Common to GR YARIS(MXPA12,GXPA16).
AQUA	MXPK10,MXPK11 MXPK15,MXPK16	-10mm	LS9	DTA3091S09R	DTA3091S09L	NPC002	It is common to 2WD and 4WD. Offset toward door side is 10 mm. Common to GR YARIS(MXPA12,GXPA16).
AQUA	MXPK10,MXPK11 MXPK15,MXPK16	-30mm	S1	DTA3091S01R	DTA3091S01L	NPC002	Superlow model. It is common to 2WD and 4WD. Offset toward door side is 10 mm. Common to GR YARIS(MXPA12,GXPA16).
ARISTO	JZS147	-20mm	S4	DTA1240S04R	DTA1240S04L	NPC001	
ARISTO	UZS143	-20mm	S4	DTA1240S04R	-	NPC001	
ARISTO	JZS160,JZS161	-10mm	S6	DTA3180S06R	DTA3180S06L	NPC001	
AURIS	E150	-20mm	S16	DTA1590S16R	DTA1590S16L	NPC001	4WD is unconfirmed.
AURIS	E181,E186	-20mm	S36	DTA1600S36R	DTA1600S36L	NPC001	4WD is unconfirmed.
AVENSIS	AZT250,AZT251	-25mm	S4	DTA1180S04R	DTA1180S04L	NPC001	
AVENSIS	ZRT272W	-20mm	S36	DTA1190S36R	DTA1190S36L	NPC001	
bB	NCP30,NCP34,NCP35	-15mm	S4	DTA1020S04R	DTA1020S04L	NPC001	
bB	QNC20	-25mm	S16	DTA1030S16R	DTA1030S16L	NPC001	4WD/QNC25 is unconfirmed.
BLADE	AZE156H,GRE156H	-20mm	S16	DTA3250S16R	DTA3250S16L	NPC001	4WD/AZE154H unconfirmed.
BREVIS	JCG15,JCG10,JCG11	-15mm	S4	DTA2620S04R	DTA2620S04L	-	
CALDINA	T190	-10mm	S4	DTA1670S04R	DTA1670S04L	-	1992.11~1995.1
CALDINA	T190	-10mm	S4	DTA1680S04R	DTA1680S04L	-	1995.2~1997.8
CALDINA,CARINA,CORONA	ST195,210,215	-10mm	S1	DTA1690S01R	DTA1690S01L	NPC001	GOA body 1996.1~
CALDINA	AZT241W,ZZT241W, ST246W	-10mm	S4	DTA1700S04R	DTA1700S04L	-	2WD,4WD共通
CAMROAD	LY100 series	+15mm	S1	DTA1630S01R	-	-	Offset toward door side is 10 mm. The seat belt anchor is fixed to the floor. 1-position offset seat rail.
CAMROAD	KDY231,KDY281,TRY230	+15~20mm	S1	DTA1640S01R	-	-	For vehicles before the 2021 improvement. Offset toward door side is 20 mm.

CAMROAD	KDY231,KDY281,TRY230	+5~10mm	S1	-	DTA1650S01L	-	For vehicles before the 2021 improvement. No slide (fixed).
CAMRY GRACIA	MCV20,MCV21	-20mm	S4	DTA1482S04R	DTA1482S04L	-	
CAMRY	V40	-25mm	S4	DTA2530S04R	DTA2530S04L	-	'94/07~'96/04
CAMRY HYBRID	AVV50	-20mm	S6	DTA1620S06R	DTA1620S06L	NPC001	1998~2003 Installed on Vista Ardeo / ZZV509 can not.
CAMRY	AXVH70	-10mm	S6	DTA2602S06R	DTA2602S06L	NPC002	
CAMRY	AXVH70	-10mm	LS9	DTA2602S09R	DTA2602S09L	NPC002	
CAMRY	AXVH70	-30mm	S1	DTA2612S01R	DTA2612S01L	NPC002	Superlow model.
CARINA ED	ST180	-5mm	S1	DTA2201S01R	DTA2201S01L	-	2WD
CARINA ED	ST200,ST201,ST202, ST203, ST205	-5mm	S1	DTA1710S01R	DTA1710S01L	-	
CELICA	ST182,ST183	-5mm	S1	DTA2200S01R	DTA2200S01L	-	2WD
CELICA	ST185,ST185H	-5mm	S1	DTA2210S01R	DTA2210S01L	-	4WD
CELICA	ST202,ST202C ST203,ST205	-5mm	S1	DTA2220S01R	DTA2220S01L	-	
CELICA	ZZT230,ZZT231	-5mm	S1	DTA2230S01R	DTA2230S01L	NPC001	
CELSIOR	UCF20,UCF21	-20mm	S4	DTA2240S04R	DTA2240S04L	-	
CENTURY	G50	-25mm	S36	DTA2250S36R	DTA2250S36L	NPC001	G40 unconfirmed.
C-HR	NGX50,ZYX10	-10mm	S6	DTA2601S06R	DTA2601S06L	NPC002	
C-HR	NGX50,ZYX10	-10mm	LS9	DTA2601S09R	DTA2601S09L	NPC002	
C-HR	NGX50,ZYX10	-30mm	S1	DTA2611S01R	DTA2611S01L	NPC002	Superlow model.
COASTER	S40,50	-20mm	S16	DTA2000S16R	DTA2000S16L	-	For vehicles without a door on the left side.
COASTER	S40,50	-20mm	S16	DTA2000S16R	DTA3040S16L	-	A car with a door on the left.
COASTER	XZS60,70	-30mm	S16	DTA2001S16R	DTA2010S16L	-	For vehicles without a door on the left side.(Unconfirmed car with door) The driver's seat is common to S40 and B50. Seats with a convex bottom (such as AM19) are not compatible for right seat. Seat rail conversion adapter cannot be installed.
COMFORT	XS10,XS11,TSS13Y	-20mm	S4	DTA2020S04R	DTA2020S04L	-	
COROLLA	AE100,AE101 AE110,AE111	-10mm	S4	DTA1780S04R	DTA1780S04L	-	2WD for sedan.
COROLLA	AE100,AE101 AE110,AE111	-40mm	S1	DTA1771S01R	DTA1771S01L	-	Superlow model. 2WD for sedan.
COROLLA	AE100,AE110	-10mm	S4	DTA1780S04R	DTA1780S04L	-	2WD
COROLLA,CARIB	AE104,AE109 AE114,AE115	-10mm	S1	DTA1660S01R	DTA1660S01L	-	4WD
COROLLA2,TERCEL,CORSA	NL50	-10mm	S1	DTA1800S01R	DTA1800S01L	-	Only compatible with 2WD from 1996.8~1999.
COROLLA ALLEX	E120	-20mm	S4	DTA1792S04R	DTA1792S04L	-	
COROLLA AXIO	NZE141,ZRE142	-20mm	S36	DTA1821S36R	DTA1821S36L	NPC001	2WD

COROLLA AXIO	NZE144,ZRE144	-20mm	S36	DTA1831S36R	DTA1831S36L	NPC001	4WD
COROLLA AXIO	E160,161,164,165	-20mm	S6	DTA1810S06R	DTA1810S06L	NPC002	
COROLLA CROSS	ZSG10,ZVG11,15	-10mm	LS9	DTA2605S09R	DTA2605S09L	NPC002	
COROLLA CROSS	ZSG10,ZVG11,15	-10mm	S6	DTA2605S06R	DTA2605S06L	NPC002	
COROLLA CROSS	ZSG10,ZVG11,15	-30mm	S1	DTA2615S01R	DTA2615S01L	NPC002	Superlow model.
COROLLA FIELDER	E120 series	-20mm	S4	DTA1790S04R	DTA1790S04L	-	
COROLLA FIELDER	NZE141,ZRE142	-20mm	S36	DTA1820S36R	DTA1820S36L	NPC001	2WD
COROLLA FIELDER	NZE144,ZRE144	-20mm	S36	DTA1830S36R	DTA1830S36L	NPC001	4WD
COROLLA FIELDER	E161,162,164,165	-20mm	S6	DTA1840S06R	DTA1840S06L	NPC002	
COROLLA RUNX	E120 series	-20mm	S4	DTA1791S04R	DTA1791S04L	-	
COROLLA RUMION	ZRE152N,NZE151N	-20mm	S16	DTA1591S16R	DTA1591S16L	NPC001	4WD is unconfirmed.
COROLLA LEVIN	TE27	No data	S1	DTA3130S01R	DTA3130S01L	-	
COROLLA LEVIN	TE70	No data	S1	DTA1730S01R	DTA1730S01L	-	
COROLLA LEVIN,TRUENO	AE85,AE86	-15mm	S1	DTA1750S01R	DTA1750S01L	-	
COROLLA LEVIN,TRUENO	AE85,AE86	-30mm	SSD	DTA1740SSDR	-	-	The shape of the slide lever is the same as S1.
COROLLA LEVIN,TRUENO	AE91,AE92	-10mm	S1	DTA1760S01R	DTA1760S01L	-	
COROLLA LEVIN,TRUENO	AE101,AE111	-10mm	S1	DTA1770S01R	DTA1770S01L	-	
COROLLA SPACIO	AE111N	-25mm	S4	DTA2170S04R	DTA2170S04L	-	2WD
COROLLA SPACIO	AE115N	-20mm	S4	DTA2180S04R	DTA2180S04L	-	4WD
COROLLA SPACIO	E120 series	-30mm	S4	DTA2190S04R	DTA2190S04L	-	
COROLLA SPORT	NRE210H,214H,ZWE211H	-10mm	S6	DTA2603S06R	DTA2603S06L	NPC002	
COROLLA SPORT	NRE210H,214H,ZWE211H	-10mm	LS9	DTA2603S09R	DTA2603S09L	NPC002	
COROLLA SPORT	NRE210H,214H,ZWE211H	-30mm	S1	DTA2613S01R	DTA2613S01L	NPC002	Superlow model.
COROLLA TOURING	NRE210H,ZRE212W	-10mm	S6	DTA2604S06R	DTA2604S06L	NPC002	
COROLLA TOURING	NRE210H,ZRE212W	-10mm	LS9	DTA2604S09R	DTA2604S09L	NPC002	
COROLLA TOURING	NRE210H,ZRE212W	-30mm	S1	DTA2614S01R	DTA2614S01L	NPC002	Superlow model.
CROWN	S130 series	-20mm	S4	DTA1870S04R	DTA1870S04L	-	4WD only fits in the right seat.
CROWN	S140 series	-10mm	S4	DTA1880S04R	DTA1880S04L	-	4WD only fits in the right seat.
CROWN	S150 series	-10mm	S4	DTA1890S04R	DTA1890S04L	NPC001	4WD only fits in the right seat.
CROWN MAJESTA	UZS151,UZS157	-20mm	S4	DTA1241S04R	DTA1241S04L	NPC001	2WD
CROWN MAJESTA	UZS155	-20mm	S4	DTA1241S04R	-	NPC001	4WD
CROWN ESTATE	JZS171W,JZS175W	-20mm	S4	DTA1930S04R	DTA1930S04L	NPC001	2WD
CROWN ESTATE	JZS173W	-20mm	S4	DTA1931S04R	-	NPC001	4WD
CROWN	GS171,JZS171,JZS175	-20mm	S4	DTA1932S04R	DTA1932S04L	NPC001	2WD
CROWN	JZS179	-20mm	S4	DTA1933S04R	-	NPC001	4WD
CROWN MAJESTA	JZS177,UZS171,UZS175	-10mm	S6	DTA1942S06R	DTA1942S06L	NPC001	2WD
CROWN MAJESTA	UZS173	-10mm	S6	DTA1943S06R	-	NPC001	4WD
CROWN CROWN MAJESTA	GRS180,GRS182 GRS184,UZS186	-10mm	S6	DTA1940S06R	DTA1940S06L	NPC001	2WD Includes slide sensor. (Remove and leave on the floor.)
CROWN CROWN MAJESTA	GRS181,GRS183 UZS187	-10mm	S6	DTA1941S06R	-	NPC001	4WD Includes slide sensor. (Remove and leave on the floor.)
CROWN CROWN MAJESTA	S200 series	-10mm	S6	DTA1960S06R	DTA1960S06L	NPC001	Includes slide sensor. (Remove and leave on the floor.) Hybrid vehicles are non-conforming because SRS warnings cannot be erased.

CROWN CROWN MAJESTA	S210 series	-30mm	S6	DTA1970S06R	DTA1970S06L	NPC002	Offset toward door side is 5 mm. 4WD/S211 Cannot be installed in the left seat.
CROWN	ARS220,AZSH20,GWS224	-15mm	LS9	DTA3200S09R	DTA3200S09L	NPC002	Offset toward door side is 8 mm.
CROWN	ARS220,AZSH20,GWS224	-15mm	S6	DTA3200S06R	DTA3200S06L	NPC002	Offset toward door side is 8 mm.
CROWN CROSSOVER	TZSH35,AZSH35	±0mm	LS9	DTA3420S09R	DTA3420S09L	NPC002	Memory unit, passenger seat surface pressure sensor needs to be relocated.
CROWN CROSSOVER	TZSH35,AZSH35	±0mm	S6	DTA3430S06R	DTA3430S06L	NPC002	Memory unit, passenger seat surface pressure sensor needs to be relocated.
CROWN CROSSOVER	TZSH35,AZSH35	-30mm	S1	DTA3430S01R	DTA3430S01L	NPC002	Superlow model. Memory unit, passenger seat surface pressure sensor needs to be relocated.
CURREN	ST206,ST207,ST208	-5mm	S1	DTA2221S01R	DTA2221S01L	-	
CYNOS	EL52,EL54	-10mm	S1	DTA2030S01R	DTA2030S01L	-	Convertible / EL52C and EL54C cannot be installed.
DUET	M111A,M101A M110A,M112A	-10mm	S4	DTA2300S04R	DTA2300S04L	NPC001	Common to Storia(M110S,M112S).
DUET	M111A,M101A M110A,M112A	-30mm	S1	DTA2320S01R	DTA2320S01L	NPC001	Common to Storia(M110S,M112S).
DUET	M111A,M101A M110A,M112A	-50mm	SSD	DTA2310SSDR	DTA2310SSDL	NPC001	Common to Storia(M110S,M112S). Superlow model. Offset toward door side is 30 mm.
DYNA	LY100 series	+15mm	S1	DTA2330S01R	-	-	2.8 L truck Offset toward door side is 10 mm. The seat belt anchor is fixed to the floor. Only for driver's seat. 1-position offset seat rail.
DYNA	KDY231,KDY281 U400 series	+15~20mm	S1	DTA2350S01R	-	-	U400 series requires confirmation of installation dimensions. Offset toward door side is 20 mm. For vehicles before the 2021 improvement. For standard cab vehicles.
DYNA	KDY231,KDY281	+5~10mm	S1	-	DTA2360S01L	-	For vehicles before the 2021 improvement. No slide (fixed).
DYNA	KDY231,KDY281	±0~-5mm	S6	-	DTA3370S06L	-	Installation dimensions must be confirmed. For wide cab vehicles only. Belt anchor floor fixed type. The 2 points behind the rail are diverted from the genuine belt fixing part. Floor drilling is required on the front center side of the rail.
DYNA	C700 series,U700 series	-30mm	S1	DTA2340S01R	-	-	Installation dimensions must be confirmed. For wide cab vehicles only. Offset toward door side is 10 mm.
ESQUIRE	ZRR80G,ZRR85G,ZWR80G	-15mm	S6	DTA1510S06R	DTA1510S06L	NPC001	Use genuine base.

ESTIMA	TCR10~20	-20mm	S1	DTA1520S01R	DTA1520S01L	-	'90/1~'99/12
ESTIMA	R30,40W	-15mm	S16	DTA1530S16R	DTA1530S16L	-	
ESTIMA *Vehicles without Intelligent parking assist	R50,R55	-10mm	S16	DTA1540S16R	DTA1540S16L	NPC001	
ESTIMA *Vehicles equipped with Intelligent parking assist	R50,R55	-10mm	S16	DTA1540S16R	-	NPC001	
			S1	-	DTA1550S01L		
ESTIMA HYBRID	AHR20	-30mm	S16	DTA1560S16R	-	NPC001	Includes slide sensor. (Remove and leave on the floor.)
ESTIMA HYBRID	AHR20	-30mm	S1	-	DTA1570S01L	NPC001	
FJ CRUISER	GSJ15W	-20mm	S16	DTA1040S16R	DTA1040S16L	NPC001	Relocation of the slide sensor and pressure sensor is required.
FUNCARGO	CP20	-10mm	S1	DTA2540S01R	DTA2540S01L	NPC001	
GAIA	CXM10,SXM10,SXM15	-20mm	S4	DTA1361S04R	DTA1361S04L	-	
GRANVIA	H10	-10mm	S1	DTA1990S01R	DTA1990S01L	-	Rotating seat car. '95/5~'99/7
GRAND HIACE GRANVIA	H10	-20mm	S1	DTA1980S01R	DTA1980S01L	-	Rotating seat car. '99/8~
HARRIER,KLUGER V	U10,15,20,25W	-10mm	S4	DTA2490S04R	DTA2490S04L	NPC001	
HARRIER	U30	-20mm	S16	DTA2500S16R	DTA2500S16L	NPC001	
HARRIER	ZSU60W,ZSU65W	-10~20mm	S36	DTA2510S36R	DTA2510S36L	NPC002	
HARRIER	MXUA80,MXUA85 AXUH80,AXUH85	-15mm	S36	DTA3140S36R	DTA3140S36L	NPC002	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
HARRIER	MXUA80,MXUA85 AXUH80,AXUH85	-25mm	LS9	DTA3140S09R	DTA3140S09L	NPC002	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
HIACE	H100	+30~50mm	S1	DTA2410S01R	-	-	~'99/6 1-position offset seat rail.
HIACE	H100	+30~50mm	S1	DTA2411S01R	-	-	'99/.7~ 1-position offset seat rail.
HIACE,REGIUSACE *Excluding standard body diesel vehicles of type 5 and later	H200	-15mm	S1	DTA2420S01R	DTA2420S01L	-	Not suitable for vehicles with three passenger seats. Left seats are not available for Model 5 diesel vehicles and above (excluding wide type) Interferes with shoulder width exceeding 520 mm. When the full bucket seat is attached to the standard body, the headrest interferes with the ceiling.
HIACE,REGIUSACE *Standard body diesel vehicle of type 5 or later	GDH201,GDH206	運転席 -15mm 助手席 ±0mm	S1	DTA2420S01R	DTA3050S01L	-	Not suitable for vehicles with three passenger seats. Right seat Interferes with shoulder width exceeding 520 mm. Left seat 1-position offset seat rail. Interferes with shoulder width exceeding 500 mm.

HILUX	N30,40	-25mm	S6	DTA3220S06R	DTA3220S06L	-	Bench seat vehicle. The seat belt anchor is fixed to the floor. Floor drilling required. * * Inside the rear of both the right and left seats.
HILUX	N100	-15mm	S4	DTA2460S04R	DTA2460S04L	-	2 doors are available only in the passenger seat.
HILUX	N150,160,170	-15mm	S4	DTA2440S04R	DTA2440S04L	-	Bench seat vehicle unconfirmed.
HILUX	GUN125	-25mm	S6	DTA303S06R	DTA303S06L	NPC002	Offset toward door side is 5 mm. Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
HILUX,SURF	N130	-15mm	S4	DTA2461S04R	DTA2461S04L	-	2 doors are available only in the passenger seat.
HILUX,SURF	N185	-20mm	S4	DTA2430S04R	DTA2430S04L	-	
HILUX,SURF	N210W,N215W	-20mm	S4	DTA2470S04R	DTA2470S04L	NPC001	Common to TACOMA('04~).
IPSUM	CXM10,SXM10,SXM15	-20mm	S4	DTA1360S04R	DTA1360S04L	-	Common to GAIA. The rotating sheet has not been confirmed.
IPSUM	ACM21,ACM26	-10mm	S16	DTA1370S16R	DTA1370S16L	-	The rotating sheet has not been confirmed.
IQ	KGJ10,NGJ10	-20mm	S16	DTA1050S16R	DTA1050S16L	NPC001	Passenger seat comes with seat cushion airbag canceller.
ISIS	ANM10	-30mm	S4	DTA1160S04R	-	NPC001	
ISIS	ANM15	-30mm	S4	DTA1170S04R	-	NPC001	
IST	NCP60	-10mm	S4	DTA1330S04R	DTA1330S04L	NPC001	
IST	NCP65	-10mm	S4	DTA1340S04R	DTA1340S04L	NPC001	
IST	NCP110	-20mm	S16	DTA1350S16R	DTA1350S16L	NPC001	4WD not confirmed. Interferes with shoulder width exceeding 600 mm.
LAND CRUISER	J40	-10mm	S6	DTA3170S06R	DTA3170S06L	-	Common to bench seat vehicle. The seat belt anchor is fixed to the floor. Seat drop is from Model aged deterioration genuine seat specifications.
LAND CRUISER	J40	-30mm	S1	-	DTA3210S01L	-	For bench seat vehicles only. The seat belt anchor is fixed to the floor. Seat drop is from Model aged deterioration genuine seat specifications.
LAND CRUISER	J60	No data	S6	DTA2850S06R	DTA2850S06L	-	Suspension seat car. The seat belt anchor is fixed to the floor. Fixed pitch confirmation required, front/rear 347mm x left/right 386mm.
LAND CRUISER	J70	-30mm	S36	DTA2860S36R	DTA2860S36L	-	For In vehicles equipped with seat suspension, Offset toward door side is 10 mm. The seat belt anchor is fixed to the floor.
LAND CRUISER	J70	-10mm	S4	DTA2870S04R	DTA2870S04L	-	Non-suspension seat car. The seat belt anchor is fixed to the floor.
LAND CRUISER	J70	-10mm	S6	DTA2870S06R	DTA2870S06L	-	Non-suspension seat car. The seat belt anchor is fixed to the floor.

LAND CRUISER	J70	-40mm	S1	DTA2870S01R	DTA2870S01L	-	Superlow model. Non-suspension seat car. The seat belt anchor is fixed to the floor.
LAND CRUISER	HZJ78	No data	S6	DTA3300S06R	DTA3300S06L	-	Australian spec car.
LAND CRUISER	J80	-15mm	S1	DTA2880S01R	DTA2880S01L	-	For vehicles with seat belt anchors fixed to the seat.
LAND CRUISER	J80	-15mm	S1	DTA2890S01R	DTA2890S01L	-	The seat belt anchor is fixed to the floor.
LAND CRUISER	J100	-15mm	S4	DTA2820S04R	-	-	
LAND CRUISER	J100	-35mm	S1	DTA2820S01R	-	-	Superlow model.
LAND CRUISER	J100	-15mm	S1	-	DTA2830S01L	-	
LAND CRUISER	J200	-20mm	S16	DTA2840S16R	DTA2840S16L	NPC001	
LAND CRUISER PRADO	J90,95	-15mm	S4	DTA2900S04R	DTA2900S04L	-	
LAND CRUISER PRADO	J120	±0mm	S36	DTA2910S36R	DTA2910S36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
LAND CRUISER PRADO	J150	-20mm	S36	DTA2920S36R	DTA2920S36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
LITEACE	S402M,S402U	+20mm	S1	DTA2281S01R	DTA2281S01L	-	Use genuine slide rails.
MARK2	X30,X40	-35mm	S1	DTA3060S01R	DTA3060S01L	-	The seat belt anchor is fixed to the floor.
MARK2,CHASER,CRESTA	X80	-15mm	S4	DTA2670S04R	DTA2670S04L	-	
MARK2,CHASER,CRESTA	X90	-10mm	S4	DTA2680S04R	DTA2680S04L	-	4WD cannot be installed.
MARK2,CHASER,CRESTA	X100	-10mm	S4	DTA2690S04R	DTA2690S04L	NPC001	The left seat cannot be replaced in 4WD vehicles.
MARK2,VEROSSA	X110	-10mm	S4	DTA2700S04R	DTA2700S04L	NPC001	2WD
MARK2,VEROSSA	X115	-10mm	S4	DTA2701S04R	DTA2701S04L	NPC001	4WD
MARK2BLIT	X110	-20mm	S4	DTA2702S04R	DTA2702S04L	NPC001	2WD
MARK2BLIT	X115	-20mm	S4	DTA2710S04R	DTA2710S04L	NPC001	4WD
MARK2 QUALIS	MCV20,MCV21	-20mm	S4	DTA1481S04R	DTA1481S04L	-	
MARK X	GRX120,121	-15mm	S16	DTA2720S16R	DTA2720S16L	NPC001	
MARK X	GRX125	-30mm	S4	DTA2730S04R	DTA2730S04L	-	
MARK X	GRX130	-20mm	S36	DTA2740S36R	DTA2740S36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Includes slide sensor. (Remove and leave on the floor.)
MARK X	GRX135	-20mm	S36	DTA2750S36R	DTA2750S36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Includes slide sensor. (Remove and leave on the floor.)
MARK X Zio	A10,A15	-20mm	S16	DTA2760S16R	DTA2760S16L	NPC001	
MR2	SW20	-10mm	S1	DTA1060S01R	DTA1060S01L	-	
MR-S	ZZW30	-10mm	S1	DTA1070S01R	DTA1070S01L	-	
NOAH	R50,40G	-10mm	S1	DTA2370S01R	DTA2370S01L	-	Common to DELTA WAGON.
NOAH,VOXY	AHR60	-20mm	S16	DTA2380S16R	DTA2380S16L	NPC001	
NOAH,VOXY	R70,R75	-15mm	S16	DTA2390S16R	DTA2390S16L	NPC001	Interferes with shoulder width exceeding 580 mm.
NOAH,VOXY HYBRID	ZRR80,ZRR85,ZWR80G	-15mm	S6	DTA2400S06R	DTA2400S06L	NPC001	Use genuine base.
NOAH,VOXY HYBRID	MZRA90W,MZRA95W ZWR90W,ZWR95W	-20mm	S36	DTA3460S36R	DTA3460S36L	NPC002	Use genuine base. Interferes with shoulder width exceeding 560 mm.
OPA	CT10,15	-10mm	S4	DTA1581S04R	DTA1581S04L	-	Center table cannot be installed.
PASSO	KGC10,QNC10,KGC15	-20mm	S4	DTA3260S04R	DTA3260S04L	NPC001	Offset toward door side is 12 mm.
PASSO	KGC10,QNC10,KGC15	-50mm	S1	DTA3270S01R	DTA3270S01L	NPC001	Superlow model. Offset toward door side is 15 mm.

PASSO	KGC30	-20mm	S36	DTA2480S36R	DTA2480S36L	NPC001	Offset toward door side is 10 mm. Compatibility with 4WD/KGC35 vehicles to be confirmed.
PASSO	M700A	-30mm	S36	DTA3440S36R	DTA3440S36L	NPC001	Compatibility with 4WD/M710A vehicles to be confirmed.
PIXIS EPOCH	LA350A,LA360A	-20mm	S6	DTA3390S06R	DTA3390S06L	NPC001	Offset toward door side is 10 mm. Common to MIRA e:S(LA350S,LA360S).
PIXIS EPOCH	LA350A,LA360A	-15mm	LS9	DTA3390S09R	DTA3390S09L	NPC001	Common to MIRA e:S(LA350S,LA360S).
PIXIS SPACE	L575A,L585A	-20mm	S36	DTA3330S36R	DTA3330S36L	NPC001	
PIXIS MEGA	LA700A,LA710A	-35mm	S36	DTA3400S36R	DTA3400S36L	NPC001	Used as a footrest. Wake (LA700S, 710S) common
PLATZ	SCP11,NCP12	-10mm	S4	DTA1421S04R	DTA1421S04L	NPC001	
PLATZ	SCP11,NCP12	-40mm	S1	DTA1431S01R	DTA1431S01L	NPC001	Superlow model.
PLATZ	NCP16	-10mm	S4	DTA1441S04R	DTA1441S04L	NPC001	
PORTE	NNP10,NNP11	-30mm	S4	DTA2650S04R	-	-	
PORTE,SPADE	P141,P145	-20mm	S36	DTA2660S36R	-	NPC001	
PRIUS	NHW10	-15mm	S4	DTA2550S04R	DTA2550S04L	NPC001	
PRIUS	NHW11	-15mm	S4	DTA2560S04R	DTA2560S04L	NPC001	
PRIUS	NHW20	-30mm	S16	DTA2570S16R	DTA2570S16L	NPC001	Offset toward door side is 5 mm. Includes slide sensor. (Remove and leave on the floor.)
PRIUS	ZVW30	-10mm	S36	DTA2580S36R	DTA2580S36L	NPC001	Common to SAI(AZK10),HS(ANF10). If the driver's side electric seat contains a position memory, it must be removed.
PRIUSa	ZVW40,W41	-20mm	S36	DTA2590S36R	DTA2590S36L	NPC001	Interferes with shoulder width exceeding 580 mm.
PRIUS	ZVW50,51,52,55	-10mm	S6	DTA2600S06R	DTA2600S06L	NPC002	Common to PHV
PRIUS	ZVW50,51,52,55	-10mm	LS9	DTA2600S09R	DTA2600S09L	NPC002	Common to PHV
PRIUS	ZVW50,51,52,55	-30mm	S1	DTA2610S01R	DTA2610S01L	NPC002	Superlow model. Common to PHV
PROBOX	NCP58,59	-30mm	S4	DTA2630S04R	DTA2630S04L	-	
PROBOX	NCP58,59	-40mm	S1	DTA1432S01R	DTA1432S01L	-	Superlow model.
PROBOX	NCP160V,NSP160V,165V	-20mm	S6	DTA2640S06R	DTA2640S06L	-	
PROBOX HYBRID	NHP160V	-20mm	S6	DTA3110S06R	DTA3110S06L	-	
PROGRES	GC10,15	-15mm	S4	DTA2621S04R	DTA2621S04L	-	
QUICK DELIVERY VAN	H80	-10mm	S16	DTA1860S16R	-	-	
RACTIS	SCP100,SCP105	-25mm	S4	DTA2790S04R	DTA2790S04L	NPC001	The second dive seat may not be stored properly. Offset toward door side is 5 mm.
RACTIS	P120,P125	-10mm	S36	DTA2800S36R	DTA2800S36L	NPC001	
RAIZE	A200A,A201A A202A,A210A	-25mm	S36	DTA3160S36R	DTA3160S36L	NPC001	Common to ROCKY(A200S,A201S,A202S,A210S). Relocation of passenger seat pressure sensor is required.
RAIZE	A200A,A201A A202A,A210A	-25mm	LS9	DTA3160S09R	DTA3160S09L	NPC001	Common to ROCKY(A200S,A201S,A202S,A210S). Relocation of passenger seat pressure sensor is required.
RAUM	EXZ10,15	-15mm	S4	DTA2770S04R	DTA2770S04L	-	
RAUM	NCZ20,25	-15mm	S4	DTA2780S04R	-	-	

RAV4	SXA10,SXA11 SXA15,SXA16	-15mm	S4	DTA1080S04R	DTA1080S04L	-	
RAV4	ACA20,ACA21 ZCA25,ZCA26	-15mm	S4	DTA1090S04R	DTA1090S04L	NPC001	
RAV4	ACA31,ACA36	-15mm	S16	DTA1100S16R	DTA1100S16L	NPC001	
RAV4	MXAA52,MXAA54 MXAH52,MXAH54	-15mm	S36	DTA3120S36R	DTA3120S36L	NPC002	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
RAV4	MXAA52,MXAA54 MXAH52,MXAH54	-25mm	LS9	DTA3120S09R	DTA3120S09L	NPC002	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
REGIUS TOURING HIACE	KCH40	-10mm	S1	DTA2940S01R	DTA2940S01L	-	Fixed sheet. '95/9~
REGIUS TOURING HIACE	KCH40	-10mm	S1	DTA2950S01R	DTA2950S01L	-	Rotating sheet. '97/4~'99/7
ROOMY	M900A,M910A	-30mm	S36	DTA2930S36R	DTA2930S36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Common to TANK,THOR,JUSTY.
RUSH	J210,J200	-10mm	S6	DTA2810S06R	DTA2810S06L	NPC001	Offset toward door side is 10 mm.
SAI	AZK10	-10mm	S36	DTA1110S36R	DTA1110S36L	NPC001	If the driver's side electric seat contains a position memory, it must be removed.
SIENNA	-	-20mm	S36	DTA3010S36R	DTA3010S36L	NPC001	The front airbags will not work in an accident. Weight sensors (4 pcs) must be removed. Includes slide sensor. (Remove and leave on the floor.)
SIENTA	NCP81~85	-20mm	S36	DTA2050S36R	DTA2050S36L	NPC001	
SIENTA	P170,172,175G	-30mm	S6	DTA2060S06R	DTA2060S06L	NPC001	Interferes with shoulder width exceeding 520 mm. Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
SIENTA	MXPC10G,MXPL10G,15G	±0mm	S36	DTA3410S36R	DTA3410S36L	NPC001	Car with center console is unconfirmed.
SOARER	MZ20,GZ20,MZ21	-10mm	S1	DTA2270S01R	DTA2270S01L	-	
SOARER	JZZ30,JZZ31	-5mm	S1	DTA2260S01R	DTA2260S01L	-	
SOARER	UZZ40	-10mm	S6	DTA3190S06R	DTA3190S06L	NPC001	
SPARKY	S221E,S231E	±0mm	S1	DTA3020S01R	DTA3020S01L	NPC001	Common to Atrai-7(S221,S231).
STARLET	EP47	No data	S1	DTA3280S01R	DTA3280S01L	-	1-position offset seat rail.
STARLET	EP82	-15mm	S1	DTA2110S01R	DTA2110S01L	-	
STARLET	EP82	-15mm	S1	DTA2120S01R	DTA2120S01L	-	2WD For original-equipment seats with synchronized seat belts.
STARLET	EP82	-30mm	SSD	DTA2100SSDR	DTA2100SSDL	-	2WD The seat belt anchor is fixed to the floor.
STARLET	EP85	-15mm	S1	DTA2130S01R	DTA2130S01L	-	4WD For original-equipment seats with synchronized seat belts.
STARLET	EP85	-15mm	S1	DTA2140S01R	DTA2140S01L	-	4WD The seat belt anchor is fixed to the floor.
STARLET	EP91	-30mm	S1	DTA2090S01R	DTA2090S01L	-	2WD
STARLET	EP95	-10mm	S1	DTA2160S01R	DTA2160S01L	-	4WD
SUCCEED	NCP58,NCP59	-30mm	S4	DTA2631S04R	DTA2631S04L	-	
SUCCEED	NCP58,NCP59	-40mm	S1	DTA1433S01R	DTA1433S01L	-	Superlow model.

SUCCEED	NCP160V,NCP165V	-20mm	S6	DTA2040S06R	DTA2040S06L	-	
SUCCEED HYBRID	NHP160V	-20mm	S6	DTA3100S06R	DTA3100S06L	-	
SUPRA	JZA70,GA70	-10mm	S1	DTA2080S01R	DTA2080S01L	-	
SUPRA	JZA80	-5mm	S1	DTA2070S01R	DTA2070S01L	-	
SUPRA	DB02,DB22,DB42,DB82 DB06,DB26,DB86	-10mm	S1	DTA3070S01R	DTA3070S01L	NPC001	Offset toward door side is 10 mm. Relocation of unit and switch is required. Relocation of passenger seat pressure sensor is required.
SCEPTER	SXV10,VCV10	-10mm	S4	DTA1491S04R	DTA1491S04L	-	
T100	K210	-20mm	S4	DTA1120S04R	DTA1120S04L	-	Separate seat car.
T100	-	-20mm	S4	DTA1130S04R	DTA1130S04L	-	Bench seat car.
TACOMA '96~99	-	-10mm	S1	DTA2990S01R	DTA2990S01L	-	not officially imported in Japan, the model year is not accurate. 1-position offset seat rail.
TACOMA '00~04	-	-20mm	S4	DTA3000S04R	DTA3000S04L	-	not officially imported in Japan, the model year is not accurate. 1-position offset seat rail.
TACOMA '04~'15	TRN225	-20mm	S4	DTA2471S04R	DTA2471S04L	NPC001	Hilux Surf (TRN210, 215) common.
TANK	M900A,M910A	-30mm	S36	DTA2290S36R	DTA2290S36L	NPC001	Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp. Common to ROOMY,THOR,JUSTY.
TOWNACE	S402,S412M,U S403,S413M,U	+20mm	S1	DTA2280S01R	DTA2280S01L	-	Use genuine slide rails.
TOYOACE	LY100 series	+15mm	S1	DTA2331S01R	-	-	2.8 L truck Offset toward door side is 10 mm. The seat belt anchor is fixed to the floor. Only for driver's seat. 1-position offset seat rail.
TOYOACE	KDY231,KDY281 U400 series	+15~20mm	S1	DTA2351S01R	-	-	U400 series requires confirmation of installation dimensions. Offset toward door side is 20 mm. For standard cab vehicles.
TOYOACE	KDY231,KDY281	+5~10mm	S1	-	DTA2361S01L	-	No slide (fixed).
TOYOACE	U400 series	±0~-5mm	S6	-	DTA3371S06L	-	Installation dimensions must be confirmed. For wide cab vehicles only. Belt anchor floor fixed type. The 2 points behind the rail are diverted from the genuine belt fixing part. Floor drilling is required on the front center side of the rail.
TOYOACE	C700 series,U700 series	-30mm	S1	DTA2341S01R	-	-	Installation dimensions must be confirmed. For wide cab vehicles only. Offset toward door side is 10 mm.

TUNDRA	-	-30mm	S4	DTA2970S04R	DTA2970S04L	-	Secures the seat belt anchor in a different position, so it is necessary to determine this in the vehicle itself.
TUNDRA	-	-35mm	S36	DTA2980S36R	DTA2980S36L	NPC001	5.7L '13~ Includes slide sensor. (Remove and leave on the floor.)
VANGUARD	ACA38,ACA33,GSA33	-20mm	S16	DTA1380S16R	DTA1380S16L	NPC001	Interferes with shoulder width exceeding 630 mm. Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
VELLFIRE	ANH20,ANH25 GGH20,GGH25	-5mm	S6	DTA1302S06R	DTA1302S06L	NPC001	Use genuine base. Interferes with shoulder width exceeding 600 mm.
VELLFIRE HYBRID	ATH20	-5mm	S6	DTA1303S06R	DTA1303S06L	NPC001	Use genuine base. Interferes with shoulder width exceeding 600 mm.
VELLFIRE	AGH30,AGH35 GGH30,GGH35	-10mm	S6	DTA1312S06R	DTA1312S06L	NPC001	Use genuine base. Not applicable if the passenger seat is a super long slide.
VELLFIRE HYBRID	AYH30W	-10mm	S6	DTA1313S06R	DTA1313S06L	NPC001	Use genuine base. Not applicable if the passenger seat is a super long slide.
VELLFIRE	TAHA40W	-10mm	S6	DTA3452S06R	DTA3452S06L	NPC001	Use genuine base. Memory unit, passenger seat surface pressure sensor needs to be
VELLFIRE	TAHA40W	-5mm	LS9	DTA3452S09R	DTA3452S09L	NPC001	Use genuine base. Memory unit, passenger seat surface pressure sensor needs to be
VELLFIRE HYBRID	AAHH40W	-10mm	S6	DTA3453S06R	DTA3453S06L	NPC001	Use genuine base. Memory unit, passenger seat surface pressure sensor needs to be
VELLFIRE HYBRID	AAHH40W	-5mm	LS9	DTA3453S09R	DTA3453S09L	NPC001	Use genuine base. Memory unit, passenger seat surface pressure sensor needs to be
VISTA	V40	-25mm	S4	DTA2531S04R	DTA2531S04L	-	'94/07~'96/04
VISTA	V40	-15mm	S4	DTA2520S04R	DTA2520S04L	-	'96/05~'00/06
VISTA ARDEO	V50,55	-10mm	S4	DTA1581S04R	DTA1581S04L	-	Center table cannot be installed.
VITZ	SCP10,SCP13 NCP10,NCP13	-10mm	S4	DTA1420S04R	DTA1420S04L	NPC001	
VITZ	SCP10,SCP13 NCP10,NCP13	-40mm	S1	DTA1430S01R	DTA1430S01L	NPC001	Superlow model.
VITZ	NCP15	-10mm	S4	DTA1440S04R	DTA1440S04L	NPC001	
VITZ	SCP90,NCP91,NCP95	-20mm	S4	DTA1450S04R	DTA1450S04L	NPC001	
VITZ	SCP90,NCP91,NCP95	-45mm	SSD	DTA1460SSDR	DTA1460SSDL	NPC001	4WD not confirmed. The shape of the slide lever is the same as S4.
VITZ	KSP130,NSP130	-35mm	S36	DTA1470S36R	DTA1470S36L	NPC001	Offset toward door side is 5 mm. Interferes with shoulder width exceeding 540 mm.
VOLTZ	ZZE136,ZZE137,ZZE138	-30mm	S4	DTA1500S04R	DTA1500S04L	-	
WILL CYPHA	NCP70	-20mm	S4	DTA1150S04R	DTA1150S04L	-	
WILL CYPHA	NCP75	-20mm	S4	DTA1151S04R	DTA1151S04L	-	
WILL VS	ZZE127,ZZE128 NZE127,NZE128	-20mm	S4	DTA1140S04R	DTA1140S04L	No data	4WD / ZZE129 unconfirmed.
WINDOM,QUALIS GRACIA	MCV20,MCV21	-20mm	S4	DTA1480S04R	DTA1480S04L	-	

WINDOM	VCV10,VCV11	-10mm	S4	DTA1490S04R	DTA1490S04L	-	
WISH	ZNE10,ANE10,ANE11	-10mm	S4	DTA1390S04R	DTA1390S04L	NPC001	
WISH	ZNE14G	-10mm	S4	DTA1400S04R	DTA1400S04L	NPC001	
WISH	ZGE20,ZGE21,ZGE22W	-10mm	S16	DTA1410S16R	DTA1410S16L	NPC001	4WD not confirmed. Compatible only with vehicles not equipped with intelligent parking assist. Passenger seat is equipped with a surface pressure sensor for the seat belt warning lamp.
YARIS	KSP210,MXPA10 MXP10,MXP15	-10mm	S6	DTA3080S06R	DTA3080S06L	NPC002	It is common to 2WD and 4WD. Offset toward door side is 10 mm.
YARIS	KSP210,MXPA10 MXP10,MXP15	-10mm	LS9	DTA3080S09R	DTA3080S09L	NPC002	It is common to 2WD and 4WD. Offset toward door side is 10 mm.
YARIS	KSP210,MXPA10 MXP10,MXP15	-30mm	S1	DTA3080S01R	DTA3080S01L	NPC002	Superlow model. It is common to 2WD and 4WD. Offset toward door side is 10 mm.
YARIS CROSS	MXPB10,MXPB15 MXPJ10,MXPJ15	-10mm	S6	DTA3150S06R	DTA3150S06L	NPC002	It is common to 2WD and 4WD. Offset toward door side is 10 mm.
YARIS CROSS	MXPB10,MXPB15 MXPJ10,MXPJ15	-10mm	LS9	DTA3150S09R	DTA3150S09L	NPC002	It is common to 2WD and 4WD. Offset toward door side is 10 mm.
YARIS CROSS	MXPB10,MXPB15 MXPJ10,MXPJ15	-30mm	S1	DTA3150S01R	DTA3150S01L	NPC002	Superlow model. It is common to 2WD and 4WD. Offset toward door side is 10 mm.
GR YARIS	GXPA16,MXPA12	-10mm	S6	DTA3090S06R	DTA3090S06L	NPC002	It is common to 2WD and 4WD. Offset toward door side is 10 mm.
GR YARIS	GXPA16,MXPA12	-10mm	LS9	DTA3090S09R	DTA3090S09L	NPC002	It is common to 2WD and 4WD. Offset toward door side is 10 mm.
GR YARIS	GXPA16,MXPA12	-30mm	S1	DTA3090S01R	DTA3090S01L	NPC002	Superlow model. It is common to 2WD and 4WD. Offset toward door side is 10 mm.